

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB122118\
 Data File : FB019170.D
 Signal(s) : FID2B.CH
 Acq On : 21 Dec 2018 12:57
 Sample : J6191-01
 Misc : 5.00g/5.00ml DI WATER
 ALS Vial : 11 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB120718.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	5.170	5.089	5.344	VV	637	45865	34.43%	10.546%
2	5.659	5.497	5.794	BV	840	53687	40.30%	12.345%
3	7.082	7.016	7.095	PV	39	649	0.49%	0.149%
4	9.120	9.012	9.274	PV	2423	133227	100.00%	30.635%
5	10.257	10.132	10.358	VV	208	13622	10.22%	3.132%
6	10.707	10.610	10.722	VV	175	7421	5.57%	1.706%
7	10.729	10.722	10.786	VV	189	5672	4.26%	1.304%
8	10.977	10.890	11.061	VV	192	9450	7.09%	2.173%
9	11.804	11.665	11.917	VV	177	13592	10.20%	3.125%
10	13.091	13.040	13.118	PV	63	1773	1.33%	0.408%
11	13.130	13.118	13.159	VV	67	1089	0.82%	0.250%
12	13.342	13.273	13.366	VV	63	2184	1.64%	0.502%
13	13.410	13.366	13.452	VV	85	3243	2.43%	0.746%
14	13.551	13.475	13.587	PV	115	3181	2.39%	0.731%
15	14.361	14.220	14.373	BV	112	4579	3.44%	1.053%
16	14.477	14.373	14.507	VV	214	13384	10.05%	3.078%
17	14.515	14.507	14.554	VV	150	3494	2.62%	0.803%
18	14.594	14.554	14.630	VV	94	3379	2.54%	0.777%
19	14.705	14.630	14.755	VV	94	4921	3.69%	1.132%
20	14.762	14.755	14.830	VB	58	1493	1.12%	0.343%
21	15.875	15.826	15.921	PV	93	3237	2.43%	0.744%
22	16.102	15.993	16.114	PV	161	6721	5.04%	1.546%
23	16.235	16.114	16.249	VV	320	20503	15.39%	4.715%
24	16.370	16.249	16.419	VV	457	40058	30.07%	9.211%
25	16.445	16.419	16.455	VV	392	8232	6.18%	1.893%
26	16.463	16.455	16.512	VV	379	10595	7.95%	2.436%
27	16.558	16.512	16.665	VV	361	19635	14.74%	4.515%
Sum of corrected areas:						434884		

FB120718.M Sat Dec 22 02:44:16 2018