

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB122222\  
Data File : FB029076.D  
Signal(s) : FID2B.CH  
Acq On : 22 Dec 2022 8:37  
Sample : 5 GRO STD  
Misc :  
ALS Vial : 1 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB122222.M  
Title :

Signal : FID2B.CH

peak #	R. T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.702	4.534	4.825	PV	1736	130107	85.46%	14.209%
2	7.405	7.225	7.586	PV	1488	124976	82.09%	13.648%
3	7.739	7.586	7.805	VV	851	47419	31.15%	5.179%
4	7.875	7.805	7.966	VV	1025	50854	33.40%	5.554%
5	8.780	8.668	8.907	PV	1165	64113	42.11%	7.002%
6	10.608	10.512	10.725	VV	3323	152248	100.00%	16.627%
7	13.044	12.937	13.107	VV	1087	48346	31.75%	5.280%
8	13.178	13.107	13.313	VV	2166	96290	63.25%	10.516%
9	13.904	13.781	14.001	BV	2098	96440	63.34%	10.532%
10	16.179	16.074	16.292	VV	2360	104883	68.89%	11.454%

Sum of corrected areas: 915676

FB122222.M Thu Dec 22 12:18:56 2022