

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB122222\
Data File : FB029077.D
Signal(s) : FID2B.CH
Acq On : 22 Dec 2022 9:14
Sample : 10 GRO STD
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB122222.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.700	4.537	4.842	PV	3188	238437	80.66%	13.975%
2	7.407	7.187	7.609	BV	2811	235172	79.55%	13.784%
3	7.745	7.633	7.812	VV	1606	86149	29.14%	5.049%
4	7.881	7.812	7.989	VV	1961	98117	33.19%	5.751%
5	8.784	8.662	8.921	BV	1899	103907	35.15%	6.090%
6	10.612	10.510	10.755	VV	6495	295622	100.00%	17.327%
7	13.047	12.923	13.110	VV	2111	92982	31.45%	5.450%
8	13.181	13.110	13.310	VV	4228	184950	62.56%	10.840%
9	13.908	13.789	14.006	VV	4088	182258	61.65%	10.682%
10	16.182	16.046	16.297	VV	4479	188573	63.79%	11.052%

Sum of corrected areas: 1706169

FB122222.M Thu Dec 22 12:19:20 2022