

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB122222\
Data File : FB029080.D
Signal(s) : FID2B.CH
Acq On : 22 Dec 2022 11:08
Sample : 100 GRO STD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB122222.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.701	4.505	4.882	PV	33544	2626169	76.77%	13.368%
2	7.415	7.165	7.619	PV	35222	2971244	86.86%	15.124%
3	7.743	7.619	7.811	VV	18714	1015576	29.69%	5.169%
4	7.880	7.811	8.125	VV	23525	1206240	35.26%	6.140%
5	8.785	8.622	8.941	PV	25047	1373281	40.15%	6.990%
6	10.614	10.487	10.922	VV	75075	3420646	100.00%	17.412%
7	13.051	12.848	13.112	BV	24094	1046392	30.59%	5.326%
8	13.184	13.112	13.383	VV	47512	2073202	60.61%	10.553%
9	13.910	13.614	14.039	BV	45575	2002959	58.55%	10.195%
10	16.185	16.066	16.302	PV	46062	1910127	55.84%	9.723%

Sum of corrected areas: 19645836

FB122222.M Thu Dec 22 12:20:34 2022