

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB122324\
Data File : FB031294.D
Signal(s) : FID2B.CH
Acq On : 23 Dec 2024 12:29
Sample : BSF1223S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB121624.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.712	4.562	4.906	PV	12602	917245	79.59%	13.511%
2	7.409	7.190	7.620	PV	13478	1148076	99.62%	16.912%
3	7.743	7.620	7.810	VV	5681	317512	27.55%	4.677%
4	7.881	7.810	8.147	VV	7462	414717	35.98%	6.109%
5	8.780	8.636	9.002	PV	9509	545535	47.34%	8.036%
6	10.608	10.492	10.939	VV	22268	1152475	100.00%	16.976%
7	13.043	12.931	13.105	PV	7314	342388	29.71%	5.044%
8	13.177	13.105	13.416	VV	14382	730203	63.36%	10.756%
9	13.905	13.749	14.037	PV	13545	678561	58.88%	9.995%
10	16.180	16.027	16.336	BV	12239	541958	47.03%	7.983%

Sum of corrected areas: 6788668

FB121624.M Tue Dec 24 03:40:27 2024