

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB122419\  
Data File : FB023294.D  
Signal(s) : FID2B.CH  
Acq On : 24 Dec 2019 10:50  
Sample : BSF1224S1  
Misc : 5.00g/5.00ml DI WATER  
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB121919.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.686       | 4.528        | 4.823      | BV       | 13703          | 967948       | 81.41%         | 14.236%       |
| 2         | 7.413       | 7.183        | 7.626      | PV       | 12675          | 1056319      | 88.84%         | 15.535%       |
| 3         | 7.753       | 7.626        | 7.820      | VV       | 6371           | 349630       | 29.41%         | 5.142%        |
| 4         | 7.887       | 7.820        | 8.085      | VV       | 7835           | 414154       | 34.83%         | 6.091%        |
| 5         | 8.794       | 8.625        | 9.018      | BV       | 8297           | 464095       | 39.03%         | 6.825%        |
| 6         | 10.626      | 10.518       | 10.790     | VV       | 25515          | 1188986      | 100.00%        | 17.486%       |
| 7         | 13.066      | 12.881       | 13.128     | VV       | 8620           | 378697       | 31.85%         | 5.569%        |
| 8         | 13.199      | 13.128       | 13.369     | VV       | 16157          | 714286       | 60.08%         | 10.505%       |
| 9         | 13.927      | 13.808       | 14.041     | PV       | 15407          | 683772       | 57.51%         | 10.056%       |
| 10        | 16.205      | 16.072       | 16.349     | VV       | 13659          | 581631       | 48.92%         | 8.554%        |

Sum of corrected areas: 6799518

FB121919.M Thu Dec 26 12:17:34 2019