

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB062618\
 Data File : FB016399.D
 Signal(s) : FID2B.CH
 Acq On : 26 Jun 2018 19:19
 Sample : J3240-05
 Misc : 5.03g/5.00mL DI Water
 ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB060118.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	5.174	5.057	5.339	PV	576	46419	34.96%	14.812%
2	5.425	5.353	5.495	VV	314	16306	12.28%	5.203%
3	5.635	5.538	5.644	VV	355	12136	9.14%	3.872%
4	5.655	5.644	5.734	VV	361	11452	8.62%	3.654%
5	6.453	6.386	6.463	PV	30	854	0.64%	0.272%
6	7.095	7.005	7.105	PV	33	1485	1.12%	0.474%
7	7.934	7.883	8.014	VV	127	5731	4.32%	1.829%
8	8.214	8.106	8.303	PV	536	26853	20.22%	8.568%
9	8.842	8.787	8.910	VV	90	3385	2.55%	1.080%
10	9.117	8.963	9.245	BV	2448	132791	100.00%	42.372%
11	10.223	10.153	10.233	PV	115	3198	2.41%	1.020%
12	10.248	10.233	10.313	VB	138	3622	2.73%	1.156%
13	10.625	10.557	10.686	PV	166	6991	5.26%	2.231%
14	10.711	10.686	10.730	VV	46	642	0.48%	0.205%
15	11.749	11.637	11.813	PV	147	6168	4.64%	1.968%
16	13.158	13.070	13.229	PV	226	10172	7.66%	3.246%
17	13.928	13.861	13.978	PV	134	4264	3.21%	1.361%
18	14.214	14.128	14.313	PV	137	6031	4.54%	1.924%
19	15.418	15.358	15.487	PV	142	5507	4.15%	1.757%
20	15.522	15.487	15.593	VV	115	3185	2.40%	1.016%
21	16.501	16.403	16.552	PV	162	6202	4.67%	1.979%
Sum of corrected areas:							313394	

FB060118.M Wed Jun 27 10:56:47 2018