

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB062618\
 Data File : FB016401.D
 Signal(s) : FID2B.CH
 Acq On : 26 Jun 2018 20:20
 Sample : J3240-05MSD
 Misc : 5.02g/5.00mL DI Water
 ALS Vial : 6 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB060118.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.968	4.809	5.105	PV	4301	305941	92.34%	11.904%
2	5.163	5.105	5.343	VV	569	38797	11.71%	1.510%
3	5.422	5.343	5.516	VV	329	17445	5.27%	0.679%
4	5.640	5.565	5.765	VV	395	25852	7.80%	1.006%
5	6.349	6.222	6.357	PV	30	2459	0.74%	0.096%
6	7.734	7.509	7.941	VV	3918	324404	97.91%	12.623%
7	8.072	7.941	8.139	VV	1644	92529	27.93%	3.600%
8	8.210	8.139	8.439	VV	3154	168032	50.72%	6.538%
9	8.828	8.709	8.885	PV	144	7458	2.25%	0.290%
10	9.116	8.968	9.260	VV	2716	151665	45.78%	5.901%
11	10.269	10.073	10.366	PV	138	11882	3.59%	0.462%
12	10.619	10.449	10.705	VV	201	11567	3.49%	0.450%
13	10.965	10.857	11.114	PV	7287	331316	100.00%	12.892%
14	11.753	11.661	11.846	PV	160	6984	2.11%	0.272%
15	13.163	12.949	13.307	PV	196	13642	4.12%	0.531%
16	13.413	13.307	13.475	PV	2976	129758	39.16%	5.049%
17	13.547	13.475	13.665	VV	6337	276399	83.42%	10.755%
18	14.278	14.119	14.382	PV	6659	297182	89.70%	11.563%
19	14.428	14.382	14.588	VV	168	12938	3.91%	0.503%
20	15.428	15.242	15.501	PV	161	8805	2.66%	0.343%
21	16.339	16.274	16.400	PV	123	4346	1.31%	0.169%
22	16.560	16.400	16.665	VV	7867	330608	99.79%	12.864%
Sum of corrected areas:						2570010		

FB060118.M Wed Jun 27 10:57:15 2018