

Instrument :
FID_B
ClientSampleId :
AUD-1052-1053MSD

rteres

Area Percent Report

Manual Integrations
APPROVED

Ankita
3/22/2021 10:49:45 AM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB031721\
Data File : FB025540.D
Signal(s) : FID2B.CH
Acq On : 17 Mar 2021 17:13
Sample : M1687-01MSD
Misc : 5.01g/5.00ml DI WATER
ALS Vial : 18 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB031621.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.502	4.483	4.517	BH	3	-48	-0.00%	-0.000%
2	4.696	4.517	4.822	PH	5838	450163	1.60%	0.097%
3	4.879	4.822	4.962	HH	2028	118776	0.42%	0.025%
4	5.002	4.962	5.214	HH	976	68010	0.24%	0.015%
5	5.364	5.214	5.661	PH	2718	188558	0.67%	0.040%
6	5.678	5.661	5.691	HH	35	407	0.00%	0.000%
7	5.947	5.691	6.198	HH	427	42350	0.15%	0.009%
8	6.213	6.198	6.224	HH	26	282	0.00%	0.000%
9	6.380	6.224	6.607	HH	3585	258662	0.92%	0.055%
10	6.721	6.607	6.744	HH	193	9843	0.03%	0.002%
11	6.897	6.744	6.993	HH	9570	653876	2.32%	0.140%
12	7.156	6.993	7.266	HH	14844	1258949	4.47%	0.270%
13	7.385	7.266	7.553	HH	17851	1594577	5.67%	0.342%
14	7.758	7.553	8.138	HH	63642	4966878	17.65%	1.065%
15	8.243	8.138	8.346	HH	1140	92073	0.33%	0.020%
16	8.577	8.346	8.698	HH	15045	1513903	5.38%	0.325%
17	8.864	8.698	9.043	HH	109200	9080478	32.26%	1.947%
18	9.088	9.043	9.171	HH	23289	1485115	5.28%	0.318%
19	9.237	9.171	9.290	HH	17391	1086476	3.86%	0.233%
20	9.404	9.290	9.553	HH	97813	7465563	26.52%	1.600%
21	9.654	9.553	9.930	HH	69709	5347637	19.00%	1.146%
22	10.041	9.930	10.074	HH	9167	490788	1.74%	0.105%
23	10.205	10.074	10.253	HH	133253	8034190	28.54%	1.722%
24	10.319	10.253	10.420	HH	227709	13294589	47.23%	2.850%
25	10.493	10.420	10.559	HH	60218	4165185	14.80%	0.893%
26	10.632	10.559	10.715	HH	155688	7825792	27.80%	1.678%
27	10.803	10.715	10.885	HH	74669	5053055	17.95%	1.083%
28	10.982	10.885	11.099	HH	111279	8360621	29.70%	1.792%
29	11.181	11.099	11.342	HH	43903	4084124	14.51%	0.876%
30	11.462	11.342	11.531	HH	30227	2577817	9.16%	0.553%
31	11.775	11.531	11.843	HH	254425	24022839	85.35%	5.150%
32	11.895	11.843	11.992	HH	214312	11757298	41.77%	2.520%
33	12.107	11.992	12.251	HH	186525	12818494	45.54%	2.748%
34	12.344	12.251	12.457	HH	23790	1884934	6.70%	0.404%
35	12.566	12.457	12.634	HH	24280	1690329	6.01%	0.362%
36	12.791	12.634	12.925	HH	478038	28147065	100.00%	6.034%

rteres								
37	13.064	12.925	13.135	HH	308106	21583405	76.68%	4.627%
38	13.207	13.135	13.297	HH	507094	23643479	84.00%	5.068%
39	13.350	13.297	13.449	HH	56223	4105093	14.58%	0.880%
40	13.566	13.449	13.703	HH	203785	15463140	54.94%	3.315%
41	13.936	13.703	14.021	HH	302235	22796049	80.99%	4.887%
42	14.122	14.021	14.188	HH	259490	17608444	62.56%	3.775%
43	14.214	14.188	14.353	HH	203681	11953945	42.47%	2.563%
44	14.450	14.353	14.522	HH	125694	7680455	27.29%	1.646%
45	14.547	14.522	14.631	HH	59905	3035754	10.79%	0.651%
46	14.717	14.631	14.781	HH	50964	3640823	12.93%	0.780%
47	14.864	14.781	14.989	HH	69644	6619874	23.52%	1.419%
48	15.096	14.989	15.178	HH	503762	27395341	97.33%	5.873%
49	15.238	15.178	15.345	HH	194549	14903518	52.95%	3.195%
50	15.430	15.345	15.485	HH	337286	18666101	66.32%	4.001%
51	15.527	15.485	15.665	HH	266119	16019410	56.91%	3.434%
52	15.688	15.665	15.757	HH	67841	3262179	11.59%	0.699%
53	15.822	15.757	15.885	HH	72555	4452124	15.82%	0.954%
54	15.970	15.885	16.120	HH	178851	13786176	48.98%	2.955%
55	16.216	16.120	16.342	HH	461922	27678946	98.34%	5.934%
56	16.421	16.342	16.509	HH	212840	15526992	55.16%	3.329%
57	16.628	16.509	16.904	HHA	116654	16767951	59.57%	3.595%
Sum of corrected areas:							466478848	

Instrument :
FID_B
ClientSampleId :
AUD-1052-1053MSD

Manual Integrations
APPROVED

Ankita
3/22/2021 10:49:45 AM

FB031621.M Thu Mar 18 12:04:52 2021