

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB061418\  
Data File : FB016140.D  
Signal(s) : FID2B.CH  
Acq On : 14 Jun 2018 11:14  
Sample : BSF0614S1  
Misc : 5.00g/5.00mL DI Water  
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB060118.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.970       | 4.789        | 5.128      | PV       | 3670           | 260903       | 78.54%         | 11.479%       |
| 2         | 7.734       | 7.482        | 7.940      | PV       | 3762           | 310229       | 93.39%         | 13.649%       |
| 3         | 8.074       | 7.940        | 8.138      | VV       | 1413           | 77634        | 23.37%         | 3.416%        |
| 4         | 8.212       | 8.138        | 8.353      | VV       | 2534           | 133535       | 40.20%         | 5.875%        |
| 5         | 9.117       | 8.785        | 9.233      | PV       | 2649           | 145501       | 43.80%         | 6.401%        |
| 6         | 10.967      | 10.847       | 11.103     | PV       | 7342           | 332197       | 100.00%        | 14.615%       |
| 7         | 13.417      | 13.247       | 13.477     | PV       | 2923           | 126134       | 37.97%         | 5.549%        |
| 8         | 13.550      | 13.477       | 13.739     | VV       | 6144           | 273488       | 82.33%         | 12.032%       |
| 9         | 14.281      | 14.051       | 14.376     | VV       | 6537           | 292601       | 88.08%         | 12.873%       |
| 10        | 16.564      | 16.391       | 16.720     | BV       | 7742           | 320727       | 96.55%         | 14.111%       |

Sum of corrected areas: 2272948

FB060118.M Fri Jun 15 04:50:11 2018