

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB061418\
 Data File : FB016146.D
 Signal(s) : FID2B.CH
 Acq On : 14 Jun 2018 14:19
 Sample : J3239-13MSD
 Misc : 5.01g/5.00mL DI Water
 ALS Vial : 9 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB060118.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.973	4.785	5.114	PV	3690	260750	76.18%	10.552%
2	5.174	5.114	5.182	VV	344	10038	2.93%	0.406%
3	5.199	5.182	5.209	VV	421	6267	1.83%	0.254%
4	5.239	5.209	5.369	VV	508	26394	7.71%	1.068%
5	5.646	5.545	5.737	PV	300	17013	4.97%	0.688%
6	7.739	7.572	7.917	VV	3751	305068	89.13%	12.346%
7	8.077	7.954	8.142	PV	1429	77480	22.64%	3.136%
8	8.215	8.142	8.328	VV	2637	134602	39.33%	5.447%
9	9.120	8.952	9.316	VV	2755	154773	45.22%	6.264%
10	10.265	10.185	10.368	VV	123	7037	2.06%	0.285%
11	10.969	10.851	11.106	PV	7600	342272	100.00%	13.852%
12	13.419	13.298	13.480	PV	3031	132817	38.80%	5.375%
13	13.551	13.480	13.753	VV	6407	284395	83.09%	11.509%
14	14.283	14.063	14.376	PV	6765	302330	88.33%	12.235%
15	14.467	14.376	14.618	VV	621	50469	14.75%	2.042%
16	15.436	15.157	15.549	PV	177	15342	4.48%	0.621%
17	16.331	16.272	16.419	PV	105	5489	1.60%	0.222%
18	16.565	16.464	16.672	VV	8148	338449	98.88%	13.697%
Sum of corrected areas:						2470983		

FB060118.M Fri Jun 15 04:56:26 2018