

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB061418\
 Data File : FB016154.D
 Signal(s) : FID2B.CH
 Acq On : 14 Jun 2018 19:03
 Sample : J3458-02
 Misc : 6.29g/5.00mL DI Water
 ALS Vial : 17 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB060118.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	5.008	4.910	5.053	VV	125	6598	2.83%	1.000%
2	5.316	5.072	5.481	PV	3090	232824	100.00%	35.272%
3	5.665	5.551	5.747	PV	394	23934	10.28%	3.626%
4	9.120	9.002	9.261	PV	2904	157127	67.49%	23.804%
5	12.159	12.114	12.185	VV	118	3579	1.54%	0.542%
6	12.256	12.219	12.332	VV	148	6452	2.77%	0.977%
7	12.654	12.588	12.673	VV	131	3970	1.71%	0.601%
8	13.355	13.307	13.371	VV	210	6729	2.89%	1.019%
9	13.912	13.783	13.973	VV	132	9765	4.19%	1.479%
10	14.119	14.062	14.133	PV	101	2405	1.03%	0.364%
11	14.159	14.133	14.168	VV	103	1683	0.72%	0.255%
12	14.185	14.168	14.248	VV	128	3643	1.56%	0.552%
13	14.351	14.248	14.371	PV	100	5208	2.24%	0.789%
14	14.479	14.371	14.525	VV	498	31197	13.40%	4.726%
15	14.542	14.525	14.626	VV	418	18947	8.14%	2.870%
16	14.653	14.626	14.670	VV	270	6522	2.80%	0.988%
17	14.788	14.670	14.856	VV	363	32982	14.17%	4.997%
18	14.864	14.856	14.891	VV	196	3245	1.39%	0.492%
19	14.904	14.891	14.972	VB	117	3394	1.46%	0.514%
20	15.420	15.345	15.467	PV	165	6593	2.83%	0.999%
21	15.479	15.467	15.502	VV	112	2096	0.90%	0.317%
22	15.529	15.502	15.562	VV	105	3200	1.37%	0.485%
23	15.887	15.760	15.943	PV	315	19159	8.23%	2.902%
24	15.984	15.943	16.013	VV	132	5048	2.17%	0.765%
25	16.039	16.013	16.091	VV	97	2622	1.13%	0.397%
26	16.184	16.091	16.205	PV	98	2912	1.25%	0.441%
27	16.234	16.205	16.249	VV	35	733	0.32%	0.111%
28	16.467	16.249	16.478	PV	269	18087	7.77%	2.740%
29	16.530	16.478	16.541	VV	329	10307	4.43%	1.561%
30	16.654	16.541	16.750	VBA	295	29126	12.51%	4.412%

Sum of corrected areas: 660088

FB060118.M Fri Jun 15 05:16:21 2018