

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB070218\
 Data File : FB016524.D
 Signal(s) : FID2B.CH
 Acq On : 2 Jul 2018 20:05
 Sample : J3826-01MS
 Misc : 5.00g/5.00mL DI Water
 ALS Vial : 18 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB070218.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.975	4.794	5.111	PV	5342	378362	100.00%	13.630%
2	5.179	5.111	5.389	VV	677	67826	17.93%	2.443%
3	5.649	5.553	5.778	VV	702	43048	11.38%	1.551%
4	7.109	6.998	7.309	VV	397	36935	9.76%	1.330%
5	7.737	7.549	7.930	PV	4574	372467	98.44%	13.417%
6	8.076	7.974	8.145	VV	2158	116680	30.84%	4.203%
7	8.218	8.145	8.378	VV	3082	160409	42.40%	5.778%
8	8.863	8.771	8.921	VV	105	5084	1.34%	0.183%
9	9.121	8.963	9.269	PV	2630	144872	38.29%	5.219%
10	10.266	10.104	10.413	BV	138	9409	2.49%	0.339%
11	10.639	10.507	10.708	BV	88	3621	0.96%	0.130%
12	10.971	10.794	11.095	BV	7900	353051	93.31%	12.718%
13	11.768	11.672	11.836	PV	78	5136	1.36%	0.185%
14	13.420	13.266	13.480	PV	3015	131779	34.83%	4.747%
15	13.552	13.480	13.731	VV	6344	280014	74.01%	10.087%
16	14.283	14.123	14.414	VV	6760	301224	79.61%	10.851%
17	14.444	14.414	14.518	VV	115	5562	1.47%	0.200%
18	15.424	15.138	15.548	PV	445	24980	6.60%	0.900%
19	16.565	16.412	16.708	PV	8017	335582	88.69%	12.088%
Sum of corrected areas:						2776041		

FB070218.M Tue Jul 03 08:02:51 2018