

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB070318\
 Data File : FB016543.D
 Signal(s) : FID2B.CH
 Acq On : 3 Jul 2018 11:25
 Sample : J3814-02MS
 Misc : 5.00g/5.00mL DI Water
 ALS Vial : 5 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB070218.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.970	4.813	5.120	PV	5658	398112	100.00%	14.557%
2	5.182	5.120	5.205	VV	355	14477	3.64%	0.529%
3	5.241	5.205	5.261	VV	393	11853	2.98%	0.433%
4	5.269	5.261	5.375	VV	335	10305	2.59%	0.377%
5	5.642	5.547	5.650	PV	781	23359	5.87%	0.854%
6	5.657	5.650	5.757	VV	772	23759	5.97%	0.869%
7	6.475	6.435	6.492	PV	67	896	0.23%	0.033%
8	7.112	6.936	7.238	PV	410	38408	9.65%	1.404%
9	7.736	7.546	7.903	BV	4352	350716	88.09%	12.824%
10	7.916	7.903	7.955	VV	105	1913	0.48%	0.070%
11	8.075	7.955	8.143	VV	2025	108642	27.29%	3.972%
12	8.214	8.143	8.346	VV	3306	165787	41.64%	6.062%
13	9.118	9.001	9.249	VV	2814	153183	38.48%	5.601%
14	10.232	10.172	10.240	VV	145	3045	0.76%	0.111%
15	10.253	10.240	10.354	VB	145	5352	1.34%	0.196%
16	10.633	10.586	10.655	VV	111	3480	0.87%	0.127%
17	10.657	10.655	10.684	VV	125	1807	0.45%	0.066%
18	10.968	10.840	11.097	VV	8272	374771	94.14%	13.703%
19	11.785	11.727	11.818	PV	71	2779	0.70%	0.102%
20	13.417	13.324	13.477	BV	2982	126432	31.76%	4.623%
21	13.550	13.477	13.700	VV	6342	278345	69.92%	10.178%
22	14.282	14.107	14.435	PV	6666	294835	74.06%	10.781%
23	14.445	14.435	14.485	VV	50	926	0.23%	0.034%
24	15.423	15.342	15.495	VV	311	13709	3.44%	0.501%
25	16.090	15.935	16.160	PB	84	5123	1.29%	0.187%
26	16.564	16.400	16.677	PV	7679	322855	81.10%	11.805%
Sum of corrected areas:						2734867		

FB070218.M Tue Jul 03 15:27:37 2018