

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB071618\
 Data File : FB016754.D
 Signal(s) : FID2B.CH
 Acq On : 16 Jul 2018 13:23
 Sample : J3819-07MS
 Misc : 5.00g/5.00ml DI water
 ALS Vial : 6 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB070918.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.969	4.790	5.102	PV	4661	331216	88.97%	13.507%
2	5.168	5.102	5.363	VV	716	56660	15.22%	2.311%
3	5.641	5.519	5.807	VV	612	40739	10.94%	1.661%
4	7.077	7.028	7.087	PV	54	853	0.23%	0.035%
5	7.098	7.087	7.117	VV	38	427	0.11%	0.017%
6	7.735	7.490	7.914	BV	3809	308435	82.85%	12.578%
7	8.073	7.960	8.139	VV	1757	93101	25.01%	3.797%
8	8.212	8.139	8.349	VV	3244	165728	44.51%	6.758%
9	9.116	9.007	9.253	VV	2675	144435	38.80%	5.890%
10	9.738	9.608	9.887	PV	192	16479	4.43%	0.672%
11	10.239	10.065	10.341	VV	125	12630	3.39%	0.515%
12	10.629	10.569	10.663	BV	85	2841	0.76%	0.116%
13	10.966	10.844	11.103	BV	8314	372299	100.00%	15.182%
14	11.776	11.652	11.810	PV	67	3055	0.82%	0.125%
15	13.416	13.243	13.477	VV	2605	115225	30.95%	4.699%
16	13.549	13.477	13.697	VV	5277	232166	62.36%	9.467%
17	13.907	13.892	13.995	VV	91	3036	0.82%	0.124%
18	14.279	14.159	14.395	VV	5508	245637	65.98%	10.017%
19	14.440	14.395	14.571	VB	170	11716	3.15%	0.478%
20	15.419	15.320	15.492	PV	206	9087	2.44%	0.371%
21	16.332	16.236	16.450	VV	102	4821	1.30%	0.197%
22	16.562	16.450	16.698	PV	6761	281666	75.66%	11.486%
Sum of corrected areas:						2452254		

FB070918.M Mon Jul 16 16:09:15 2018