

rters

Instrument :

FID_B

ClientSampleId :

HW1025-PT-GAS-SOIL

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Amit Patel 11/04/2025

Supervised By :mohammad ahmed 11/05/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB11032
Data File : FB032279.D
Signal(s) : FID2B.CH
Acq On : 3 Nov 2025 14:29
Sample : Q3483-15 500X
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 2 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB102725.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.717	4.520	4.862	BV	8602	643426	7.92%	1.114%
2	5.050	4.862	5.221	VV	6533	545894	6.72%	0.946%
3	5.373	5.221	5.525	PV	16123	1015553	12.49%	1.759%
4	5.685	5.525	5.802	PV	2234	226876	2.79%	0.393%
5	5.958	5.802	6.037	VV	2989	309992	3.81%	0.537%
6	6.068	6.037	6.228	VV	2379	137283	1.69%	0.238%
7	6.387	6.228	6.535	PV	10672	730517	8.99%	1.265%
8	6.750	6.535	6.783	VV	2165	153873	1.89%	0.267%
9	6.905	6.783	7.004	VV	19111	1321992	16.26%	2.290%
10	7.156	7.004	7.279	VV	23320	2061044	25.36%	3.570%
11	7.418	7.279	7.575	VV	22873	2174146	26.75%	3.766%
12	7.759	7.575	7.847	VV	34051	2468779	30.37%	4.276%
13	7.896	7.847	7.997	VV	13850	775937	9.55%	1.344%
14	8.082	7.997	8.180	VV	4975	376262	4.63%	0.652%
15	8.269	8.180	8.355	VV	4277	301983	3.72%	0.523%
16	8.466	8.355	8.514	VV	6059	411788	5.07%	0.713%
17	8.574	8.514	8.695	VV	6537	473040	5.82%	0.819%
18	8.849	8.695	8.978	VV	18089	1561139	19.21%	2.704%
19	9.087	8.978	9.256	VV	5452	644428	7.93%	1.116%
20	9.398	9.256	9.545	VV	21653	1868116	22.98%	3.236%
21	9.651	9.545	9.968	VV	20116	1717683	21.13%	2.975%
22	10.198	9.968	10.223	VV	6519	423035	5.20%	0.733%
23	10.310	10.223	10.414	VV	21776	1344542	16.54%	2.329%
24	10.481	10.414	10.526	VV	5708	344224	4.23%	0.596%
25	10.629	10.526	10.885	VV	133044	7163348	88.12%	12.407%
26	10.972	10.885	11.093	VV	4871	443383	5.45%	0.768%
27	11.173	11.093	11.489	VV	4184	458571	5.64%	0.794%
28	11.772	11.489	11.807	VV	9400	860681	10.59%	1.491%
29	11.882	11.807	11.991	VV	17795	1094431	13.46%	1.896%
30	12.097	11.991	12.275	VV	11840	747943	9.20%	1.295%
31	12.356	12.275	12.397	VV	1144	73732	0.91%	0.128%
32	12.521	12.397	12.597	VV	1799	182101	2.24%	0.315%
33	12.769	12.597	12.908	VV	14175	945318	11.63%	1.637%
34	13.064	12.908	13.117	VV	42356	2172868	26.73%	3.764%
35	13.196	13.117	13.438	VV	157416	8128702	100.00%	14.079%
36	13.540	13.438	13.654	VV	4261	323379	3.98%	0.560%

					rters				
37	13.926	13.654	14.041	VV	57097	3074627	37.82%	5.325%	
38	14.204	14.041	14.339	VV	6659	781424			
39	14.427	14.339	14.484	VV	4249	228860			
40	14.537	14.484	14.649	VV	3924	208414			
41	14.708	14.649	14.778	VV	463	24451			
42	14.920	14.778	14.986	VV	1374	97731			
43	15.070	14.986	15.141	VV	5654	301888	3.71%	0.523%	
44	15.234	15.141	15.314	VV	14831	775835	9.54%	1.344%	
45	15.414	15.314	15.641	VV	57132	3864856	47.55%	6.694%	
46	15.675	15.641	15.742	VV	484	19064	0.23%	0.033%	
47	15.801	15.742	15.846	PV	392	15080	0.19%	0.026%	
48	15.958	15.846	16.079	VV	14014	665175	8.18%	1.152%	
49	16.201	16.079	16.317	PV	70329	3051209	37.54%	5.285%	
Sum of corrected areas:						57734625			

Instrument :
FID_B
ClientSampleId :
HW1025-PT-GAS-SOIL

Manual IntegrationsAPPROVED

Reviewed By :Amit Patel 11/04/2025
Supervised By :mohammad ahmed 11/05/2025

FB102725.M Tue Nov 04 06:11:28 2025