

rters

Instrument :

FID_B

ClientSampleId :

HW1025-PT-GAS-SOIL

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB11032
Data File : FB032280.D
Signal(s) : FID2B.CH
Acq On : 3 Nov 2025 14:56
Sample : Q3483-15 1000X
Misc : 5.00G/5.00 ML MEOH
ALS Vial : 3 Sample Multiplier: 1

Reviewed By :Amit Patel 11/04/2025

Supervised By :mohammad ahmed 11/05/2025

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB102725.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.715	4.520	4.852	BV	3924	280245	7.89%	1.068%
2	5.042	4.852	5.227	VV	3347	297866	8.39%	1.135%
3	5.373	5.227	5.522	PV	7952	500562	14.10%	1.908%
4	5.675	5.522	5.800	PV	1055	107366	3.02%	0.409%
5	5.955	5.800	6.034	VV	1403	143581	4.04%	0.547%
6	6.067	6.034	6.226	VV	1112	66100	1.86%	0.252%
7	6.386	6.226	6.535	PV	5001	341071	9.61%	1.300%
8	6.753	6.535	6.784	VV	1004	71317	2.01%	0.272%
9	6.904	6.784	7.004	VV	8847	610679	17.20%	2.327%
10	7.156	7.004	7.279	VV	10745	948895	26.73%	3.616%
11	7.415	7.279	7.573	VV	10599	996683	28.08%	3.798%
12	7.759	7.573	7.847	VV	15754	1138293	32.06%	4.338%
13	7.895	7.847	7.996	VV	6439	360457	10.15%	1.374%
14	8.082	7.996	8.180	VV	2331	176695	4.98%	0.673%
15	8.269	8.180	8.355	VV	1986	141282	3.98%	0.538%
16	8.466	8.355	8.515	VV	2779	190789	5.37%	0.727%
17	8.573	8.515	8.694	VV	2952	209647	5.91%	0.799%
18	8.836	8.694	8.984	VV	9194	809281	22.80%	3.084%
19	9.088	8.984	9.246	VV	2403	269350	7.59%	1.026%
20	9.399	9.246	9.546	VV	9815	848460	23.90%	3.233%
21	9.651	9.546	9.864	VV	9074	741588	20.89%	2.826%
22	9.901	9.864	9.974	VV	615	34635	0.98%	0.132%
23	10.199	9.974	10.224	VV	2923	188175	5.30%	0.717%
24	10.311	10.224	10.417	VV	9824	607760	17.12%	2.316%
25	10.480	10.417	10.519	VV	2528	141766	3.99%	0.540%
26	10.629	10.519	10.883	VV	61372	3283492	92.49%	12.513%
27	10.973	10.883	11.094	VV	2155	194718	5.48%	0.742%
28	11.173	11.094	11.487	VV	1790	186070	5.24%	0.709%
29	11.771	11.487	11.811	VV	3958	371732	10.47%	1.417%
30	11.883	11.811	11.990	VV	7728	454481	12.80%	1.732%
31	12.098	11.990	12.274	VV	5255	323372	9.11%	1.232%
32	12.354	12.274	12.407	VV	421	28830	0.81%	0.110%
33	12.505	12.407	12.596	VV	575	55176	1.55%	0.210%
34	12.769	12.596	12.903	VV	6227	398778	11.23%	1.520%
35	13.064	12.903	13.117	VV	18983	970748	27.34%	3.699%
36	13.195	13.117	13.437	VV	69833	3550070	100.00%	13.529%

rteres									
37	13.540	13.437	13.654	VV	1921	142244	4.01%	0.542%	
38	13.925	13.654	14.038	VV	26129	1382835	38.14%	0.036%	
39	14.204	14.038	14.335	VV	3066	366423	10.26%	0.029%	
40	14.427	14.335	14.484	VV	1961	104932	2.14%	0.007%	
41	14.536	14.484	14.646	VV	1789	91096	2.14%	0.155%	
42	14.708	14.646	14.784	VV	143	6077	0.04%	0.006%	
43	14.921	14.784	14.986	PV	629	40616	1.14%	0.155%	
44	15.070	14.986	15.140	VV	2564	132745	3.74%	0.506%	
45	15.233	15.140	15.313	VV	6629	343046	9.66%	1.307%	
46	15.413	15.313	15.641	VV	25767	1780039	50.14%	6.784%	
47	15.676	15.641	15.741	VV	237	9365	0.26%	0.036%	
48	15.804	15.741	15.847	PV	187	7484	0.21%	0.029%	
49	15.957	15.847	16.087	VV	6899	324264	9.13%	1.236%	
50	16.200	16.087	16.317	PV	33772	1468864	41.38%	5.598%	

Sum of corrected areas: 26240040

FB102725.M Tue Nov 04 06:13:03 2025

Instrument :
FID_B
ClientSampleId :
HW1025-PT-GAS-SOIL

Manual IntegrationsAPPROVED

Reviewed By :Amit Patel 11/04/2025
Supervised By :mohammad ahmed 11/05/2025