

Instrument :

FID_B

ClientSampleId :

HW1025-PT-GAS-SOIL

rteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB11032
Data File : FB032281.D
Signal(s) : FID2B.CH
Acq On : 3 Nov 2025 15:24
Sample : Q3483-15 2000X
Misc : 5.00G/5.00 ML MEOH
ALS Vial : 4 Sample Multiplier: 1

Reviewed By :Amit Patel 11/04/2025

Supervised By :mohammad ahmed 11/05/2025

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB102725.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.718	4.537	4.848	BV	1837	127823	7.40%	0.975%
2	5.038	4.848	5.223	VV	1802	169170	9.79%	1.290%
3	5.374	5.223	5.526	PV	3992	251853	14.58%	1.921%
4	5.702	5.526	5.804	VV	486	49545	2.87%	0.378%
5	5.959	5.804	6.021	VV	668	62356	3.61%	0.476%
6	6.029	6.021	6.043	VV	487	6336	0.37%	0.048%
7	6.071	6.043	6.240	VV	504	27547	1.59%	0.210%
8	6.386	6.240	6.537	PV	2350	159310	9.22%	1.215%
9	6.763	6.537	6.781	VV	514	33402	1.93%	0.255%
10	6.904	6.781	7.004	VV	4198	291595	16.88%	2.224%
11	7.157	7.004	7.278	VV	5066	447904	25.93%	3.416%
12	7.415	7.278	7.574	VV	5087	474805	27.49%	3.621%
13	7.759	7.574	7.846	VV	7496	538621	31.18%	4.108%
14	7.896	7.846	7.995	VV	3131	175952	10.19%	1.342%
15	8.083	7.995	8.181	VV	1138	88017	5.10%	0.671%
16	8.273	8.181	8.358	VV	980	70798	4.10%	0.540%
17	8.466	8.358	8.513	VV	1348	90857	5.26%	0.693%
18	8.575	8.513	8.686	VV	1429	101448	5.87%	0.774%
19	8.809	8.686	8.978	VV	8251	629500	36.44%	4.801%
20	9.089	8.978	9.255	VV	1143	133327	7.72%	1.017%
21	9.399	9.255	9.547	VV	4707	402288	23.29%	3.068%
22	9.651	9.547	9.849	VV	4361	351779	20.37%	2.683%
23	9.923	9.849	10.071	VV	535	49042	2.84%	0.374%
24	10.200	10.071	10.228	VV	1419	81073	4.69%	0.618%
25	10.312	10.228	10.423	VV	4852	314458	18.20%	2.398%
26	10.469	10.423	10.523	VV	1377	77384	4.48%	0.590%
27	10.629	10.523	10.881	VV	30293	1607336	93.05%	12.258%
28	10.973	10.881	11.094	VV	1031	92397	5.35%	0.705%
29	11.172	11.094	11.366	VV	849	75827	4.39%	0.578%
30	11.411	11.366	11.467	VV	218	11750	0.68%	0.090%
31	11.624	11.467	11.644	VV	799	49353	2.86%	0.376%
32	11.771	11.644	11.811	VV	1934	140904	8.16%	1.075%
33	11.883	11.811	11.990	VV	3741	219457	12.70%	1.674%
34	12.098	11.990	12.249	VV	2568	154534	8.95%	1.178%
35	12.269	12.249	12.285	VV	157	3096	0.18%	0.024%
36	12.353	12.285	12.398	VV	225	13588	0.79%	0.104%

rteres									
37	12.487	12.398	12.599	VV	322	32487	1.88%	0.248%	
38	12.770	12.599	12.915	VV	3063	201088	11.88%	0.248%	
39	13.063	12.915	13.118	VV	9345	479678	27.00%	0.248%	
40	13.195	13.118	13.437	VV	34108	1727356	100.00%	0.248%	
41	13.539	13.437	13.654	VV	958	71681	4.00%	0.647%	
42	13.925	13.654	14.034	VV	12853	676233	39.00%	0.647%	
43	14.106	14.034	14.144	VV	1499	84890	4.91%	0.647%	
44	14.204	14.144	14.335	VV	1583	114919	6.65%	0.876%	
45	14.428	14.335	14.484	VV	977	53278	3.08%	0.406%	
46	14.536	14.484	14.639	VV	897	46140	2.67%	0.352%	
47	14.700	14.639	14.756	VV	92	3993	0.23%	0.030%	
48	14.770	14.756	14.795	VV	24	310	0.02%	0.002%	
49	14.922	14.795	14.991	PV	316	21511	1.25%	0.164%	
50	15.070	14.991	15.144	VV	1306	69102	4.00%	0.527%	
51	15.233	15.144	15.315	VV	3223	167194	9.68%	1.275%	
52	15.413	15.315	15.480	VV	12612	650280	37.65%	4.959%	
53	15.509	15.480	15.629	VV	5342	224255	12.98%	1.710%	
54	15.681	15.629	15.735	VV	125	4952	0.29%	0.038%	
55	15.814	15.735	15.842	PV	109	4039	0.23%	0.031%	
56	15.957	15.842	16.083	VV	3504	165686	9.59%	1.264%	
57	16.200	16.083	16.314	PV	17138	739562	42.81%	5.640%	
Sum of corrected areas:						13113064			

Instrument :
FID_B
ClientSampleId :
HW1025-PT-GAS-SOIL

Manual IntegrationsAPPROVED

Reviewed By :Amit Patel 11/04/2025
Supervised By :mohammad ahmed 11/05/2025

FB102725.M Tue Nov 04 06:13:25 2025