

Instrument :
FID_C
ClientSampleId :
20240768-AMENDED-COMP-39N-N-3-03MSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/28/2024
Supervised By :Ankita Jodhani 02/28/2024

rteres

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\F0
Data File : FC065893.D
Signal(s) : FID1A.ch
Acq On : 27 Feb 2024 16:48
Sample : P1524-10MSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 020824.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.289	3.254	3.399	BV	758253	6570790	70.05%	4.099%
2	3.985	3.684	4.034	BV	1330	18921	0.20%	0.012%
3	4.128	4.107	4.148	VV	1190	12108	0.13%	0.008%
4	4.352	4.301	4.384	BV	834280	7629240	81.34%	4.759%
5	4.401	4.384	4.501	VV	47099	674572	7.19%	0.421%
6	4.519	4.501	4.557	VV	3126	56250	0.60%	0.035%
7	4.604	4.588	4.658	VB	3356	40954	0.44%	0.026%
8	4.980	4.928	5.017	PV	7512	94239	1.00%	0.059%
9	5.038	5.017	5.064	VV	1526	17768	0.19%	0.011%
10	5.426	5.198	5.468	PV	2403	41617	0.44%	0.026%
11	5.483	5.468	5.504	VV	567	5973	0.06%	0.004%
12	5.677	5.504	5.718	PV	523	15103	0.16%	0.009%
13	6.026	5.841	6.078	BV	1461	14847	0.16%	0.009%
14	6.366	6.218	6.432	BV	807415	8298088	88.47%	5.176%
15	6.442	6.432	6.468	VV	2982	48092	0.51%	0.030%
16	6.513	6.497	6.568	VV	2143	36640	0.39%	0.023%
17	6.983	6.951	7.023	VB	2086	28091	0.30%	0.018%
18	7.143	7.108	7.184	VV	5536	64452	0.69%	0.040%
19	7.545	7.512	7.591	PV	1918	21924	0.23%	0.014%
20	8.156	8.088	8.234	PV	821304	8484535	90.46%	5.293%
21	8.246	8.234	8.288	VV	988	20446	0.22%	0.013%
22	8.584	8.521	8.674	PV	4159	242209	2.58%	0.151%
23	8.694	8.674	8.735	VV	1856	43827	0.47%	0.027%
24	8.986	8.958	9.037	VV	4587	65935	0.70%	0.041%
25	9.336	9.308	9.373	VV	1689	29066	0.31%	0.018%
26	9.531	9.511	9.566	PV	2549	31226	0.33%	0.019%
27	9.751	9.714	9.974	VV	812770	8778983	93.59%	5.476%
28	10.608	10.580	10.632	VB	2269	31199	0.33%	0.019%
29	10.990	10.958	11.064	VB	5783	77663	0.83%	0.048%
30	11.187	11.151	11.326	PV	790983	9159611	97.65%	5.714%
31	12.315	12.294	12.332	VV	3766	51736	0.55%	0.032%

				rteres				
32	12.346	12.332	12.401	VV	3181	42321	0.45%	0.026%
33	12.491	12.450	12.674	VB	781707	937981		
34	12.931	12.788	13.024	PV	463100	542619		
35	13.098	13.059	13.254	VB	747208	916954		
36	13.681	13.643	13.831	VV	726987	911326		
37	14.778	14.661	14.914	BV	715971	8993790	95.88%	5.610%
38	15.793	15.701	15.941	BB	686029	8886514	94.74%	5.544%
39	16.273	16.181	16.334	BB	2222	40139	0.43%	0.025%
40	16.740	16.641	16.811	VV	670478	8786961	93.68%	5.481%
41	17.185	16.984	17.238	BV	2777	45648	0.49%	0.028%
42	17.510	17.238	17.544	PV	5721	95277	1.02%	0.059%
43	17.621	17.544	17.711	VV	645716	8884356	94.72%	5.542%
44	18.038	17.918	18.088	PV	2981	45511	0.49%	0.028%
45	18.450	18.358	18.538	VV	602900	8749470	93.28%	5.458%
46	18.842	18.538	18.884	VV	3460	49789	0.53%	0.031%
47	19.230	18.884	19.291	PV	616135	8392459	89.47%	5.235%
48	19.314	19.291	19.352	VV	762	15482	0.17%	0.010%
49	19.384	19.352	19.404	VV	372	6219	0.07%	0.004%
50	19.469	19.404	19.488	PV	226	3614	0.04%	0.002%
51	19.527	19.488	19.548	VV	275	4361	0.05%	0.003%
52	19.600	19.548	19.621	PV	2123	38860	0.41%	0.024%
53	19.712	19.621	19.809	VV	4373	293547	3.13%	0.183%
54	19.864	19.809	19.901	VV	1881	53953	0.58%	0.034%
55	19.965	19.901	20.034	VV	509904	7857607	83.77%	4.902%
56	20.314	20.034	20.351	VV	2439	144285	1.54%	0.090%
57	20.491	20.351	20.514	VV	1407	96257	1.03%	0.060%
58	20.682	20.514	20.808	VB	466262	7685104	81.93%	4.794%
59	21.556	21.454	21.721	BB	322509	7297994	77.81%	4.553%
Sum of corrected areas:					160304446			

Instrument :
FID_C
ClientSampleId :
20240768-AMENDED-COMP-39N-N-3-03MSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/28/2024
Supervised By :Ankita Jodhani 02/28/2024

Aliphatic EPH 020824.M Wed Feb 28 04:06:02 2024