

Instrument :
FID_C
ClientSampleId :
20241107-AMENDED-COMPOSITE-35N-N-4-06MS

rteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\F0
Data File : FC065900.D
Signal(s) : FID1A.ch
Acq On : 27 Feb 2024 21:21
Sample : P1539-07MS
Misc :
ALS Vial : 20 Sample Multiplier: 1

Reviewed By :Yogesh Patel 02/28/2024
Supervised By :Ankita Jodhani 02/28/2024

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 020824.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.289	3.254	3.398	BV	808106	7205901	72.24%	4.199%
2	3.413	3.398	3.453	VV	939	16732	0.17%	0.010%
3	4.128	4.011	4.144	PV	911	9811	0.10%	0.006%
4	4.352	4.301	4.384	BV	908475	8311666	83.33%	4.844%
5	4.401	4.384	4.501	VV	44197	600863	6.02%	0.350%
6	4.605	4.589	4.654	VB	1914	20181	0.20%	0.012%
7	4.981	4.931	5.021	BV	5339	62370	0.63%	0.036%
8	5.427	5.364	5.464	PV	1750	28798	0.29%	0.017%
9	6.029	5.841	6.068	BV	1006	-9581	-0.10%	-0.006%
10	6.366	6.208	6.496	BV	941022	9421698	94.46%	5.491%
11	6.513	6.496	6.569	VV	1894	36176	0.36%	0.021%
12	7.143	7.038	7.179	BV	4282	53942	0.54%	0.031%
13	7.296	7.234	7.330	VV	873	19708	0.20%	0.011%
14	7.545	7.511	7.578	BV	1668	17541	0.18%	0.010%
15	7.854	7.827	7.882	VV	1804	25188	0.25%	0.015%
16	7.909	7.882	7.991	VV	3713	54629	0.55%	0.032%
17	8.156	8.121	8.234	BV	904712	9528051	95.52%	5.553%
18	8.248	8.234	8.288	VV	1217	25657	0.26%	0.015%
19	8.582	8.517	8.671	VV	5382	329302	3.30%	0.192%
20	8.693	8.671	8.732	VV	2940	79881	0.80%	0.047%
21	8.985	8.956	9.037	VV	4554	82937	0.83%	0.048%
22	9.338	9.314	9.378	PV	1765	28417	0.28%	0.017%
23	9.530	9.506	9.571	VV	3596	44823	0.45%	0.026%
24	9.751	9.714	9.951	PV	854479	9690389	97.15%	5.647%
25	10.606	10.580	10.634	VV	1849	25667	0.26%	0.015%
26	10.988	10.958	11.031	VV	6811	80607	0.81%	0.047%
27	11.186	11.147	11.321	VV	836984	9948841	99.74%	5.798%
28	12.314	12.289	12.331	VV	3839	56133	0.56%	0.033%
29	12.344	12.331	12.394	VV	2776	40248	0.40%	0.023%
30	12.490	12.449	12.671	VB	835552	9974736	100.00%	5.813%
31	12.929	12.801	13.023	BV	550248	6554398	65.71%	3.820%

				rteres				
32	13.097	13.057	13.261	VV	773157	9715130	97.40%	5.662%
33	13.681	13.643	13.838	VB	783343	961094		
34	14.778	14.664	14.911	PV	731095	946537		
35	15.794	15.684	15.941	BB	694241	935411		
36	16.272	16.088	16.339	BB	2355	3674		
37	16.737	16.658	16.914	BB	719530	9263271	92.87%	5.398%
38	17.185	17.048	17.234	PV	2170	37407	0.38%	0.022%
39	17.508	17.354	17.544	PV	5729	89915	0.90%	0.052%
40	17.622	17.544	17.724	VB	665729	9329892	93.54%	5.437%
41	18.038	17.798	18.068	BB	2096	21968	0.22%	0.013%
42	18.450	18.208	18.524	BV	644887	9178116	92.01%	5.349%
43	18.842	18.524	18.871	VV	2579	28828	0.29%	0.017%
44	19.228	18.871	19.291	PV	595803	8789005	88.11%	5.122%
45	19.317	19.291	19.351	VV	741	17099	0.17%	0.010%
46	19.380	19.351	19.410	VV	422	9258	0.09%	0.005%
47	19.525	19.410	19.541	PV	269	9149	0.09%	0.005%
48	19.597	19.541	19.630	PV	1324	25243	0.25%	0.015%
49	19.863	19.630	19.894	VV	1553	61866	0.62%	0.036%
50	19.965	19.894	20.031	VV	564484	8213019	82.34%	4.786%
51	20.058	20.031	20.069	VV	847	18456	0.19%	0.011%
52	20.313	20.069	20.339	VV	2504	158200	1.59%	0.092%
53	20.680	20.339	20.828	VB	449772	8174478	81.95%	4.764%
54	21.552	21.464	21.688	BB	337488	7625065	76.44%	4.444%
Sum of corrected areas:						171598242		

Instrument :
FID_C
ClientSampleId :
20241107-AMENDED-COMPOSITE-35N-N-4-06MS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/28/2024
Supervised By :Ankita Jodhani 02/28/2024

Aliphatic EPH 020824.M Wed Feb 28 04:08:38 2024