

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC030119AL\
 Data File : FC039556.D
 Signal(s) : FID1A.CH
 Acq On : 02 Mar 2019 11:11
 Operator : AJ\SJ
 Sample : K1675-23
 Misc :
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :
 Z-3-12-A

Integration File: autoint1.e
 Quant Time: Mar 03 23:41:01 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 022219.M
 Quant Title : GC Extractables
 QLast Update : Mon Feb 25 18:21:16 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.163	4444239	26.422 ug/ml
Spiked Amount 50.000		Recovery =	52.84%
12) S 1-chlorooctadecane (S...	12.609	3350100	26.558 ug/ml
Spiked Amount 50.000		Recovery =	53.12%
Target Compounds			
6) T n-Tetradecane (C14)	7.918	139436	1.095 ug/ml
17) T n-Tricontane (C30)	17.294	101993	0.695 ug/ml
18) T n-Dotriacontane (C32)	18.123	109800	0.817 ug/ml
21) T n-Octatriacontane (C38)	20.336	693697	7.555 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC030119AL\
Data File : FC039556.D
Signal(s) : FID1A.CH
Acq On : 02 Mar 2019 11:11
Operator : AJ\SJ
Sample : K1675-23
Misc :
ALS Vial : 40 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
Z-3-12-A

Integration File: autoint1.e
Quant Time: Mar 03 23:41:01 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 022219.M
Quant Title : GC Extractables
QLast Update : Mon Feb 25 18:21:16 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#6 n-Tetradecane (C14)


R.T.: 7.918 min
Delta R.T.: 0.050 min
Response: 139436
Conc: 1.09 ug/ml

Instrument :
FID_C
ClientSampleId :
Z-3-12-A




#9 ortho-Terphenyl (SURR)

R.T.: 11.163 min
Delta R.T.: -0.015 min
Response: 4444239
Conc: 26.42 ug/ml




#12 1-chlorooctadecane (SURR)

R.T.: 12.609 min
Delta R.T.: -0.013 min
Response: 3350100
Conc: 26.56 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.294 min
Delta R.T.: -0.017 min
Response: 101993
Conc: 0.69 ug/ml



#18 n-Dotriacontane (C32)

R.T.: 18.123 min
Delta R.T.: -0.016 min
Response: 109800
Conc: 0.82 ug/ml

Instrument :
FID_C
ClientSampleId :
Z-3-12-A



#21 n-Octatriacontane (C38)

R.T.: 20.336 min
Delta R.T.: -0.017 min
Response: 693697
Conc: 7.56 ug/ml