

Instrument :
FID_C
ClientSampleId :
Z-3-11-BMS

rteres

Area Percent Report

Manual Integrations
APPROVED

Sohil
3/5/2019 8:46:04 AM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC030119AL\
Data File : FC039554.D
Signal(s) : FID1A.CH
Acq On : 02 Mar 2019 10:02
Sample : K1675-05MS
Misc :
ALS Vial : 38 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 022219.M
Title : GC Extractables

Signal : FID1A.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.036	3.002	3.128	BB	455951	3803103	60.41%	1.883%
2	4.083	4.025	4.098	BV	500437	4369976	69.42%	2.164%
3	4.113	4.098	4.176	VV	504651	4508226	71.61%	2.232%
4	5.631	5.578	5.795	BB	504008	5087077	80.81%	2.519%
5	6.079	6.002	6.188	BB	500972	4957143	78.74%	2.454%
6	6.677	6.635	6.802	BV	503692	5325113	84.59%	2.636%
7	7.288	7.192	7.468	BB	507950	5388802	85.60%	2.668%
8	7.858	7.782	7.897	BV	504389	5176405	82.23%	2.563%
9	7.939	7.897	8.105	VB	535759	5671082	90.08%	2.808%
10	8.139	8.105	8.205	BV	300418	3481285	55.30%	1.724%
11	8.233	8.205	8.317	VV	563549	5729382	91.01%	2.837%
12	9.010	8.935	9.152	BV	480813	5450249	86.58%	2.698%
13	9.444	9.315	9.528	BB	481852	5051131	80.24%	2.501%
14	10.397	10.315	10.448	BV	499317	5458125	86.70%	2.702%
15	10.473	10.448	10.708	VB	440308	5701690	90.57%	2.823%
16	10.874	10.838	10.935	BB	462658	5022750	79.79%	2.487%
17	11.166	11.095	11.238	BB	486739	5334393	84.74%	2.641%
18	12.175	12.038	12.187	BV	425785	5046611	80.16%	2.499%
19	12.200	12.187	12.365	VB	483147	5702307	90.58%	2.823%
20	12.492	12.458	12.543	BV	484542	5678372	90.20%	2.811%
21	12.610	12.578	12.695	VB	327219	4016851	63.81%	1.989%
22	12.782	12.745	12.858	BB	396783	4959880	78.79%	2.456%
23	13.364	13.292	13.435	BB	400240	4934801	78.39%	2.443%
24	14.364	14.318	14.385	BV	408526	5311509	84.37%	2.630%
25	14.407	14.385	14.433	VV	436434	5544818	88.08%	2.745%
26	14.460	14.433	14.615	VB	384665	5346300	84.92%	2.647%
27	15.475	15.315	15.548	BB	361005	4960102	78.79%	2.456%
28	15.917	15.802	15.932	BV	422580	5543943	88.06%	2.745%
29	15.948	15.932	16.098	VB	460465	5888502	93.54%	2.915%
30	16.292	16.262	16.381	VV	382632	5325139	84.59%	2.637%
31	16.419	16.381	16.525	VB	373445	5087765	80.82%	2.519%
32	17.303	17.185	17.355	BV	365585	4971907	78.98%	2.462%
33	17.665	17.618	17.681	BV	393663	5111289	81.19%	2.531%
34	17.700	17.681	17.878	VV	409924	6295346	100.00%	3.117%
35	17.914	17.878	18.082	VV	371373	5693216	90.44%	2.819%
36	18.129	18.082	18.185	VV	324283	4891678	77.70%	2.422%

rteres								
37	18.909	18.798	18.978	PV	313855	4531507	71.98%	2.244%
38	19.645	19.345	19.685	BV	275822	4023575	63.91%	1.992%
39	20.342	20.022	20.478	VB	262029	3924474	62.34%	1.943%
40	21.107	21.008	21.238	BB	167939	3671055	58.31%	1.818%

Sum of corrected areas: 201976874

Alaphatic EPH 022219.M Mon Mar 04 12:50:20 2019

Instrument :
FID_C
ClientSampleId :
Z-3-11-BMS

Manual Integrations
APPROVED

Sohil
3/5/2019 8:46:04 AM