

Instrument :
FID_C
ClientSampleId :
B-3MS

rteres

Area Percent Report

Manual Integrations
APPROVED

Sohil
3/14/2019 6:02:22 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC031319AL\
Data File : FC039805.D
Signal(s) : FID1A.CH
Acq On : 13 Mar 2019 18:46
Sample : K1826-03MS
Misc :
ALS Vial : 10 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 022219.M
Title : GC Extractables

Signal : FID1A.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.018	3.001	3.111	BB	272934	2264247	24.74%	1.335%
2	4.066	4.038	4.082	BV	313931	2779553	30.37%	1.639%
3	4.096	4.082	4.161	VV	338810	3129688	34.20%	1.845%
4	5.615	5.581	5.778	BV	326705	3683161	40.25%	2.172%
5	6.062	6.031	6.165	BB	347323	3416361	37.33%	2.014%
6	6.660	6.631	6.784	BV	350255	3901826	42.64%	2.300%
7	7.271	7.211	7.468	BB	409221	4545584	49.67%	2.680%
8	7.840	7.718	7.877	BV	357187	3865730	42.24%	2.279%
9	7.920	7.877	8.098	VV	381198	4390569	47.98%	2.589%
10	8.121	8.098	8.188	PV	246939	2952339	32.26%	1.741%
11	8.213	8.188	8.348	VV	405241	4491594	49.08%	2.648%
12	8.991	8.955	9.188	PB	347555	4333910	47.36%	2.555%
13	9.424	9.311	9.505	BB	363697	4016977	43.90%	2.368%
14	10.376	10.311	10.431	BV	394286	4497475	49.15%	2.652%
15	10.454	10.431	10.681	VB	337322	4714937	51.52%	2.780%
16	10.855	10.818	10.915	PV	371014	4197565	45.87%	2.475%
17	11.145	11.101	11.255	BB	637998	6667546	72.86%	3.931%
18	12.178	12.051	12.348	BV	401944	9151202	100.00%	5.395%
19	12.470	12.431	12.530	BV	391474	4818025	52.65%	2.841%
20	12.590	12.530	12.725	VV	436843	5093542	55.66%	3.003%
21	12.761	12.725	12.868	VB	337583	4279205	46.76%	2.523%
22	13.343	13.301	13.448	BB	348041	4256479	46.51%	2.510%
23	13.761	13.715	13.871	BB	9034	188515	2.06%	0.111%
24	14.343	14.305	14.363	BV	379421	4428121	48.39%	2.611%
25	14.384	14.363	14.411	VV	334362	4611840	50.40%	2.719%
26	14.438	14.411	14.611	VB	348019	4873853	53.26%	2.874%
27	14.813	14.748	14.928	BV	17402	357468	3.91%	0.211%
28	15.454	15.295	15.558	BB	322981	4359141	47.63%	2.570%
29	15.893	15.781	15.909	BV	367234	4594979	50.21%	2.709%
30	15.925	15.909	16.098	VB	370074	5091783	55.64%	3.002%
31	16.270	16.175	16.361	BV	283793	4419273	48.29%	2.606%
32	16.396	16.361	16.521	VB	340225	4601500	50.28%	2.713%
33	16.842	16.591	16.888	BV	8213	140890	1.54%	0.083%
34	17.279	17.151	17.335	BV	311893	4329272	47.31%	2.552%
35	17.641	17.578	17.658	PV	246187	3528773	38.56%	2.081%
36	17.676	17.658	17.854	VV	265175	5793885	63.31%	3.416%

					rt	Area	Area%	Height
37	17.890	17.854	18.058	VV	229629	4456231	48.70%	2.627%
38	18.107	18.058	18.165	VV	314788	4289608	46.87%	2.529%
39	18.886	18.765	18.951	BV	290262	3945170	43.11%	2.326%
40	19.621	19.288	19.708	BV	230469	3537813	38.66%	2.086%
41	19.753	19.708	19.781	VB	3407	52061	0.57%	0.031%
42	20.319	19.871	20.375	BB	221207	3273809	35.77%	1.930%
43	21.075	20.928	21.181	BB	163244	3288367	35.93%	1.939%
Sum of corrected areas:					169609866			

Instrument :
FID_C
ClientSampleId :
B-3MS

Manual Integrations
APPROVED

Sohil
3/14/2019 6:02:22 PM

Alaphatic EPH 022219.M Thu Mar 14 09:11:01 2019