

rteres

Area Percent Report

Instrument :
FID_C
ClientSampleId :
AU-05-031419-CDL

Manual Integrations
APPROVED

Sohil
3/18/2019 4:12:15 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC031519AL\
Data File : FC039926.D
Signal(s) : FID1A.CH
Acq On : 17 Mar 2019 2:44
Sample : K1685-05DL 5X
Misc :
ALS Vial : 42 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 022219.M
Title : GC Extractables

Signal : FID1A.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	7.273	7.218	7.415	BB	57323	828242	12.51%	4.978%
2	8.133	8.071	8.203	BV	17876	305906	4.62%	1.839%
3	11.138	11.075	11.208	BB	77616	851827	12.87%	5.120%
4	11.567	11.536	11.651	PB	80681	957909	14.47%	5.757%
5	12.575	12.535	12.609	BV	460448	6619549	100.00%	39.785%
6	12.632	12.609	12.656	VV	261784	3210808	48.50%	19.298%
7	12.664	12.656	12.738	VB	19203	264056	3.99%	1.587%
8	12.810	12.781	12.891	PB	41886	523242	7.90%	3.145%
9	17.273	16.925	17.301	BV	5830	146114	2.21%	0.878%
10	17.359	17.301	17.419	PV	3782	74811	1.13%	0.450%
11	17.697	17.652	17.755	VB	6024	126883	1.92%	0.763%
12	18.502	18.245	18.530	BV	3205	124545	1.88%	0.749%
13	18.903	18.841	18.930	PV	2918	100340	1.52%	0.603%
14	19.252	19.137	19.288	VB	3790	163650	2.47%	0.984%
15	19.617	19.498	19.631	PV	3243	67302	1.02%	0.405%
16	19.694	19.631	19.704	VV	2407	74134	1.12%	0.446%
17	19.746	19.704	19.765	VV	5245	127234	1.92%	0.765%
18	19.789	19.765	19.813	VV	4766	114731	1.73%	0.690%
19	19.855	19.813	19.880	VV	3751	110193	1.66%	0.662%
20	20.072	19.880	20.097	VV	9018	624529	9.43%	3.754%
21	20.164	20.097	20.188	VV	7321	354364	5.35%	2.130%
22	20.198	20.188	20.216	VV	4908	62308	0.94%	0.374%
23	20.283	20.216	20.298	VV	4774	164181	2.48%	0.987%
24	20.314	20.298	20.331	VV	7250	104387	1.58%	0.627%
25	20.407	20.331	20.434	VV	7169	363488	5.49%	2.185%
26	20.446	20.434	20.515	VB	6470	173622	2.62%	1.044%
Sum of corrected areas:						16638356		

Alaphatic EPH 022219.M Mon Mar 18 12:35:13 2019