

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC032320AL\
 Data File : FC046463.D
 Signal(s) : FID1A.CH
 Acq On : 24 Mar 2020 6:00
 Operator : DD\AJ
 Sample : L1755-07D
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Mar 24 08:24:49 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 032320.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 24 03:33:56 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.756	3276831	30.116 ug/ml
Spiked Amount 50.000		Recovery =	60.23%
12) S 1-chlorooctadecane (S...	13.172	2499193	29.000 ug/ml
Spiked Amount 50.000		Recovery =	58.00%
Target Compounds			
15) T n-Hexacosane (C26)	16.030	203910	1.987 ug/ml
16) T n-Octacosane (C28)	16.976	555186	5.455 ug/ml
17) T n-Tricontane (C30)	17.858	676323	6.903 ug/ml
18) T n-Dotriacontane (C32)	18.688	367490	4.383 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC032320AL\
Data File : FC046463.D
Signal(s) : FID1A.CH
Acq On : 24 Mar 2020 6:00
Operator : DD\AJ
Sample : L1755-07D
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :

Integration File: autoint1.e
Quant Time: Mar 24 08:24:49 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 032320.M
Quant Title : GC Extractables
QLast Update : Tue Mar 24 03:33:56 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#9 ortho-Terphenyl (SURR)


R.T.: 11.756 min
Delta R.T.: 0.001 min
Response: 3276831
Conc: 30.12 ug/ml

Instrument :
FID_C
ClientSampleId :




#12 1-chlorooctadecane (SURR)

R.T.: 13.172 min
Delta R.T.: 0.000 min
Response: 2499193
Conc: 29.00 ug/ml




#15 n-Hexacosane (C26)

R.T.: 16.030 min
Delta R.T.: 0.000 min
Response: 203910
Conc: 1.99 ug/ml



#16 n-Octacosane (C28)


R.T.: 16.976 min
Delta R.T.: 0.000 min
Response: 555186
Conc: 5.46 ug/ml



#17 n-Tricontane (C30)

R.T.: 17.858 min
Delta R.T.: 0.000 min
Response: 676323
Conc: 6.90 ug/ml

Instrument :
FID_C
ClientSampleId :



#18 n-Dotriacontane (C32)

R.T.: 18.688 min
Delta R.T.: 0.003 min
Response: 367490
Conc: 4.38 ug/ml