

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC032625AL\
 Data File : FC068403.D
 Signal(s) : FID1A.ch
 Acq On : 26 Mar 2025 11:42
 Operator : YP/AJ
 Sample : 20 PPM ALIPHATIC HC STD3
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Mar 26 13:12:41 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 032625.M
 Quant Title : GC Extractables
 QLast Update : Wed Mar 26 13:10:46 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.385	4136235	20.000 ug/ml
Spiked Amount 50.000		Recovery =	40.00%
12) S 1-chlorooctadecane (S...	12.827	3116874	20.000 ug/ml
Spiked Amount 50.000		Recovery =	40.00%
Target Compounds			
1) T n-Nonane (C9)	3.199	3316650	20.000 ug/ml
2) T n-Decane (C10)	4.255	3372128	20.000 ug/ml
3) T A~Naphthalene (C11.7)	5.819	3694929	20.000 ug/ml
4) T n-Dodecane (C12)	6.261	3420609	20.000 ug/ml
5) T A~2-methylnaphthalene...	6.871	3566583	20.000 ug/ml
6) T n-Tetradecane (C14)	8.048	3429304	20.000 ug/ml
7) T n-Hexadecane (C16)	9.644	3592423	20.000 ug/ml
8) T n-Octadecane (C18)	11.081	3668970	20.000 ug/ml
10) T n-Eicosane (C20)	12.387	3564802	20.000 ug/ml
11) T n-Heneicosane (C21)	12.997	3499643	20.000 ug/ml
13) T n-Docosane (C22)	13.582	3491593	20.000 ug/ml
14) T n-Tetracosane (C24)	14.682	3481248	20.000 ug/ml
15) T n-Hexacosane (C26)	15.700	3404454	20.000 ug/ml
16) T n-Octacosane (C28)	16.648	3364263	20.000 ug/ml
17) T n-Tricontane (C30)	17.534	3503743	20.000 ug/ml
18) T n-Dotriacontane (C32)	18.365	3390251	20.000 ug/ml
19) T n-Tetratriacontane (C34)	19.147	3020004	20.000 ug/ml
20) T n-Hexatriacontane (C36)	19.886	2536609	20.000 ug/ml
21) T n-Octatriacontane (C38)	20.596	2240024	20.000 ug/ml
22) T n-Tetracontane (C40)	21.445	2055912	20.000 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC032625AL\
Data File : FC068403.D
Signal(s) : FID1A.ch
Acq On : 26 Mar 2025 11:42
Operator : YP/AJ
Sample : 20 PPM ALIPHATIC HC STD3
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :

Integration File: autoint1.e
Quant Time: Mar 26 13:12:41 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 032625.M
Quant Title : GC Extractables
QLast Update : Wed Mar 26 13:10:46 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.199 min
Delta R.T.: 0.000 min
Response: 3316650
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :




#2 n-Decane (C10)

R.T.: 4.255 min
Delta R.T.: 0.000 min
Response: 3372128
Conc: 20.00 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 5.819 min
Delta R.T.: 0.000 min
Response: 3694929
Conc: 20.00 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.261 min
Delta R.T.: 0.000 min
Response: 3420609
Conc: 20.00 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 6.871 min
Delta R.T.: 0.000 min
Response: 3566583
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :




#6 n-Tetradecane (C14)

R.T.: 8.048 min
Delta R.T.: 0.000 min
Response: 3429304
Conc: 20.00 ug/ml




#7 n-Hexadecane (C16)

R.T.: 9.644 min
Delta R.T.: 0.000 min
Response: 3592423
Conc: 20.00 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.081 min
Delta R.T.: 0.000 min
Response: 3668970
Conc: 20.00 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.385 min
Delta R.T.: 0.000 min
Response: 4136235
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :




#10 n-Eicosane (C20)

R.T.: 12.387 min
Delta R.T.: 0.000 min
Response: 3564802
Conc: 20.00 ug/ml




#11 n-Heneicosane (C21)

R.T.: 12.997 min
Delta R.T.: 0.000 min
Response: 3499643
Conc: 20.00 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 12.827 min
Delta R.T.: 0.000 min
Response: 3116874
Conc: 20.00 ug/ml



#13 n-Docosane (C22)


R.T.: 13.582 min
Delta R.T.: 0.000 min
Response: 3491593
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :




#14 n-Tetracosane (C24)

R.T.: 14.682 min
Delta R.T.: 0.000 min
Response: 3481248
Conc: 20.00 ug/ml




#15 n-Hexacosane (C26)

R.T.: 15.700 min
Delta R.T.: 0.000 min
Response: 3404454
Conc: 20.00 ug/ml



#16 n-Octacosane (C28)


R.T.: 16.648 min
Delta R.T.: 0.000 min
Response: 3364263
Conc: 20.00 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.534 min
Delta R.T.: 0.000 min
Response: 3503743
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :




#18 n-Dotriacontane (C32)

R.T.: 18.365 min
Delta R.T.: 0.000 min
Response: 3390251
Conc: 20.00 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.147 min
Delta R.T.: 0.000 min
Response: 3020004
Conc: 20.00 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 19.886 min
Delta R.T.: 0.000 min
Response: 2536609
Conc: 20.00 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 20.596 min
Delta R.T.: 0.000 min
Response: 2240024
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :



#22 n-Tetracontane (C40)

R.T.: 21.445 min
Delta R.T.: 0.000 min
Response: 2055912
Conc: 20.00 ug/ml