

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC032919AL\
 Data File : FC040202.D
 Signal(s) : FID1A.CH
 Acq On : 29 Mar 2019 20:37
 Operator : AJ\SJ
 Sample : K2153-25
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :
 SP-2

Integration File: autoint1.e
 Quant Time: Mar 30 00:23:27 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 032319.M
 Quant Title : GC Extractables
 QLast Update : Sat Mar 23 13:38:33 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.022	3025094	23.491 ug/ml
Spiked Amount 50.000		Recovery =	46.98%
12) S 1-chlorooctadecane (S...	12.451	2725342	27.590 ug/ml
Spiked Amount 50.000		Recovery =	55.18%
Target Compounds			
10) T n-Eicosane (C20)	11.955	437434	4.298 ug/ml
13) T n-Docosane (C22)	13.231	676122	6.726 ug/ml
14) T n-Tetracosane (C24)	14.287	2573297	25.846 ug/ml
16) T n-Octacosane (C28)	16.276	598836	6.104 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC032919AL\
Data File : FC040202.D
Signal(s) : FID1A.CH
Acq On : 29 Mar 2019 20:37
Operator : AJ\SJ
Sample : K2153-25
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
SP-2

Integration File: autoint1.e
Quant Time: Mar 30 00:23:27 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 032319.M
Quant Title : GC Extractables
QLast Update : Sat Mar 23 13:38:33 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#9 ortho-Terphenyl (SURR)


R.T.: 11.022 min
Delta R.T.: 0.006 min
Response: 3025094
Conc: 23.49 ug/ml

Instrument :
FID_C
ClientSampleId :
SP-2




#10 n-Eicosane (C20)

R.T.: 11.955 min
Delta R.T.: -0.045 min
Response: 437434
Conc: 4.30 ug/ml




#12 1-chlorooctadecane (SURR)

R.T.: 12.451 min
Delta R.T.: 0.006 min
Response: 2725342
Conc: 27.59 ug/ml



#13 n-Docosane (C22)


R.T.: 13.231 min
Delta R.T.: 0.035 min
Response: 676122
Conc: 6.73 ug/ml



#14 n-Tetracosane (C24)

R.T.: 14.287 min
Delta R.T.: -0.010 min
Response: 2573297
Conc: 25.85 ug/ml

Instrument :
FID_C
ClientSampleId :
SP-2



#16 n-Octacosane (C28)

R.T.: 16.276 min
Delta R.T.: 0.012 min
Response: 598836
Conc: 6.10 ug/ml