

rteres.txt

Instrument :
FID_C
ClientSampleId :
LOD-MDL-WATER-01-QT2-2023
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/07/2023
Supervised By :Ankita Jodhani 04/07/2023

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC04062
Data File : FC063319.D
Signal(s) : FID1A.ch
Acq On : 07 Apr 2023 04:35
Sample : 02213-07
Misc : 2.5 PPM WATER LOD
ALS Vial : 17 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 040523.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.302	3.279	3.331	BB	16650	154002	3.35%	1.729%
2	4.366	4.339	4.397	BB	17147	174866	3.80%	1.963%
3	6.383	6.350	6.414	BB	17501	187175	4.07%	2.102%
4	8.176	8.149	8.210	BB	17194	201807	4.39%	2.266%
5	9.775	9.741	9.808	BB	15525	185806	4.04%	2.086%
6	11.214	11.184	11.260	BB	20983	295936	6.43%	3.323%
7	11.526	11.491	11.559	BB	20923	239387	5.20%	2.688%
8	12.966	12.929	13.014	BB	384136	4599336	100.00%	51.640%
9	13.133	13.101	13.173	BB	19063	252626	5.49%	2.836%
10	13.719	13.689	13.761	BB	19751	277018	6.02%	3.110%
11	14.818	14.788	14.860	BB	18863	273023	5.94%	3.065%
12	15.837	15.806	15.879	BB	17536	265463	5.77%	2.981%
13	16.783	16.753	16.826	BB	18682	267636	5.82%	3.005%
14	17.668	17.622	17.715	BB	18587	287158	6.24%	3.224%
15	18.498	18.460	18.547	BB	20063	311642	6.78%	3.499%
16	19.279	19.240	19.325	BB	19302	300808	6.54%	3.377%
17	20.016	19.975	20.064	BB	15184	247624	5.38%	2.780%
18	20.742	20.701	20.788	M	12007	205896	4.48%	2.312%
19	21.640	21.589	21.686	M	7491	179389	3.90%	2.014%
Sum of corrected areas:						8906596		

Aliphatic EPH 040523.M Fri Apr 07 07:10:51 2023