

rteres

Instrument :

FID_C

ClientSampleId :

PB144087BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC04132
 Data File : FC059217.D
 Signal(s) : FID1A.CH
 Acq On : 14 Apr 2022 6:08
 Sample : PB144087BSD
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Reviewed By :Yogesh Patel 04/14/2022

Supervised By :mohammad ahmed 04/18/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 032522.M
 Title : GC Extractables

Signal : FID1A.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.983	2.921	3.138	BB	548824	4836386	83.90%	2.660%
2	4.015	3.955	4.030	BV	552265	5000770	86.76%	2.751%
3	4.044	4.030	4.211	VB	584070	5764224	100.00%	3.170%
4	5.557	5.491	5.818	BB	450938	5412194	93.89%	2.977%
5	6.005	5.935	6.131	BB	493994	5127536	88.95%	2.820%
6	6.603	6.568	6.845	BB	420434	5183022	89.92%	2.851%
7	7.788	7.718	7.839	BV	472445	5100414	88.48%	2.805%
8	7.867	7.839	8.078	VB	434529	5186939	89.99%	2.853%
9	8.161	8.081	8.348	BB	495587	5519881	95.76%	3.036%
10	8.942	8.868	9.128	BV	422431	5152069	89.38%	2.834%
11	9.377	9.271	9.481	BB	448750	5081570	88.16%	2.795%
12	10.333	10.255	10.385	BV	419516	5023005	87.14%	2.763%
13	10.409	10.385	10.688	VB	352585	5137405	89.13%	2.826%
14	10.812	10.715	10.921	BB	439668	5214046	90.46%	2.868%
15	11.104	11.015	11.225	BB	472321	5290206	91.78%	2.910%
16	12.114	12.071	12.125	M	411615	4857548	84.27%	2.672%
17	12.139	12.126	12.233	M	396002	4892798	84.88%	2.691%
18	12.432	12.393	12.509	VV	382043	5011552	86.94%	2.756%
19	12.550	12.509	12.683	VV	346998	4318513	74.92%	2.375%
20	12.722	12.683	12.856	VB	397134	4934991	85.61%	2.714%
21	13.305	13.203	13.430	BB	371983	4870392	84.49%	2.679%
22	14.310	14.223	14.330	BV	371543	4735988	82.16%	2.605%
23	14.351	14.330	14.376	VV	336883	4587329	79.58%	2.523%
24	14.402	14.376	14.636	VB	379532	5442900	94.43%	2.994%
25	15.420	15.110	15.453	BBA	358444	4712911	81.76%	2.592%
26	15.862	15.824	15.877	M	373146	4833513	83.85%	2.659%
27	15.895	15.877	15.984	M	384676	5293600	91.84%	2.912%
28	16.241	16.136	16.322	BV	300974	4519311	78.40%	2.486%
29	16.364	16.322	16.530	VB	331833	4835135	83.88%	2.659%
30	17.250	17.190	17.300	BV	316579	4613963	80.04%	2.538%
31	17.617	17.579	17.630	M	341277	4647329	80.62%	2.556%
32	17.649	17.631	17.734	M	355945	5161603	89.55%	2.839%
33	17.866	17.810	18.016	VV	321864	5125608	88.92%	2.819%
34	18.077	18.016	18.150	VB	309069	4565284	79.20%	2.511%
35	18.858	18.813	18.908	M	266200	3886904	67.43%	2.138%
36	19.595	19.543	19.653	BBA	219316	3206399	55.63%	1.764%

rteres
 37 20.294 20.246 20.331 M 175238 2585577 44.86% 1.422%
 38 21.035 20.983 21.093 BBA 100347 2143312 37
 Sum of corrected areas: 1818

Aliphatic EPH 032522.M Thu Apr 14 11:34:29 2022

Instrument :
 FID_C
 ClientSampleId :
 PB144087BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/14/2022
 Supervised By :mohammad ahmed 04/18/2022