

Instrument :
FID_C
ClientSampleId :
S-8MSD

rteres

Area Percent Report

Manual Integrations
APPROVED

Ankita
4/27/2021 10:40:31 AM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC042321AL\
Data File : FC053377.D
Signal(s) : FID1A.CH
Acq On : 24 Apr 2021 14:36
Sample : M2110-04MSD
Misc :
ALS Vial : 22 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 042021.M
Title : GC Extractables

Signal : FID1A.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.309	3.185	3.375	BB	474687	3875176	36.02%	1.855%
2	4.374	4.341	4.394	BV	521501	4529626	42.10%	2.168%
3	4.415	4.394	4.501	VB	526012	4590239	42.66%	2.197%
4	5.959	5.925	6.075	BB	570205	5269213	48.97%	2.522%
5	6.393	6.358	6.468	BB	513348	5028284	46.73%	2.407%
6	7.018	6.978	7.135	BB	553581	5382244	50.02%	2.576%
7	7.631	7.595	7.745	BB	589953	5766155	53.59%	2.760%
8	8.195	8.135	8.230	BV	544798	5555849	51.64%	2.660%
9	8.251	8.230	8.271	VV	7375	75064	0.70%	0.036%
10	8.303	8.271	8.401	VB	583136	5729965	53.26%	2.743%
11	8.502	8.468	8.567	BV	378531	3878257	36.05%	1.856%
12	8.601	8.567	8.701	VB	581272	5754865	53.49%	2.755%
13	9.386	9.325	9.498	BB	584168	5966578	55.45%	2.856%
14	9.797	9.685	9.861	BB	578816	6107876	56.77%	2.924%
15	10.792	10.738	10.833	BV	555473	6012993	55.89%	2.878%
16	10.869	10.833	10.925	VV	557742	6023046	55.98%	2.883%
17	11.241	11.181	11.315	BB	576959	6359975	59.11%	3.044%
18	11.555	11.498	11.611	BB	358202	3818250	35.49%	1.828%
19	12.553	12.511	12.582	BV	517006	6067710	56.39%	2.905%
20	12.617	12.582	12.721	VB	513255	5780420	53.72%	2.767%
21	12.916	12.875	12.949	BV	484883	5648944	52.50%	2.704%
22	12.995	12.949	13.068	VB	256811	2998606	27.87%	1.435%
23	13.166	13.121	13.241	BB	492875	5930748	55.12%	2.839%
24	13.753	13.711	13.828	BB	470093	5812890	54.03%	2.783%
25	14.189	14.164	14.255	VB	9475	120472	1.12%	0.058%
26	14.800	14.745	14.820	BV	395347	5105504	47.45%	2.444%
27	14.849	14.820	14.958	VB	702888	10759479	100.00%	5.150%
28	15.232	15.178	15.315	BB	30374	459151	4.27%	0.220%
29	15.881	15.781	15.951	BB	406167	5235796	48.66%	2.506%
30	16.364	16.295	16.380	BV	357890	5129653	47.68%	2.456%
31	16.399	16.380	16.426	VV	424212	4975460	46.24%	2.382%
32	16.748	16.545	16.785	BV	395199	5129861	47.68%	2.456%
33	16.831	16.785	16.935	VB	390788	5256442	48.85%	2.516%
34	17.720	17.651	17.768	BV	374677	4961376	46.11%	2.375%
35	18.124	17.831	18.139	PV	333868	5035526	46.80%	2.410%
36	18.161	18.139	18.261	VB	378180	4972478	46.21%	2.380%

rteres								
37	18.383	18.301	18.475	BV	373534	4975774	46.25%	2.382%
38	18.552	18.475	18.598	VV	347316	4867099	45.24%	2.330%
39	18.903	18.781	18.928	BV	8176	132915	1.24%	0.064%
40	18.946	18.928	18.986	VV	5128	90368	0.84%	0.043%
41	19.337	19.045	19.379	BV	333676	4960751	46.11%	2.375%
42	19.701	19.471	19.748	PV	4442	119864	1.11%	0.057%
43	20.077	19.748	20.141	PV	322321	4985746	46.34%	2.387%
44	20.213	20.141	20.281	VB	3027	179192	1.67%	0.086%
45	20.811	20.635	20.905	VV	266598	4755574	44.20%	2.276%
46	21.717	21.645	21.783	PV	202773	4731810	43.98%	2.265%
Sum of corrected areas:					208903263			

Instrument :
FID_C
ClientSampleId :
S-8MSD

Manual Integrations
APPROVED

Ankita
4/27/2021 10:40:31 AM

Alaphatic EPH 042021.M Mon Apr 26 11:52:36 2021