

Instrument :
FID_C
ClientSampleId :
SP1-BMS

rteres

Area Percent Report

Manual Integrations
APPROVED

Sohil
4/27/2020 5:07:01 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC042420AL\
Data File : FC047129.D
Signal(s) : FID1A.CH
Acq On : 26 Apr 2020 8:24
Sample : L2399-06MS
Misc :
ALS Vial : 37 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 042320.M
Title : GC Extractables

Signal : FID1A.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.554	3.521	3.651	BB	395535	3408034	34.70%	1.828%
2	4.620	4.591	4.651	BV	447620	3979171	40.52%	2.134%
3	4.674	4.651	4.768	VB	464872	4260050	43.38%	2.285%
4	6.217	6.175	6.361	BB	449822	4767098	48.54%	2.557%
5	6.623	6.591	6.701	BB	463460	4488671	45.70%	2.407%
6	7.266	7.235	7.401	BB	475331	5078188	51.71%	2.724%
7	7.867	7.838	7.981	BB	513136	5199818	52.95%	2.789%
8	8.405	8.341	8.461	BV	503875	4876354	49.65%	2.615%
9	8.482	8.461	8.518	VV	22081	248822	2.53%	0.133%
10	8.542	8.518	8.675	VB	493119	5051209	51.43%	2.709%
11	8.743	8.715	8.807	BV	305159	3585587	36.51%	1.923%
12	8.835	8.807	8.961	VB	528390	5459985	55.59%	2.928%
13	9.616	9.568	9.748	BB	487785	5358042	54.56%	2.874%
14	9.993	9.958	10.071	BB	487872	5047195	51.39%	2.707%
15	11.015	10.955	11.064	BV	478236	5458149	55.58%	2.927%
16	11.092	11.064	11.245	VB	454268	5551563	56.53%	2.977%
17	11.425	11.378	11.491	BB	469516	5233491	53.29%	2.807%
18	11.756	11.721	11.835	BB	262449	2871601	29.24%	1.540%
19	12.727	12.688	12.801	BV	463485	5181483	52.76%	2.779%
20	12.830	12.801	12.951	VB	467712	5455136	55.55%	2.926%
21	13.129	13.095	13.151	BV	443946	5175557	52.70%	2.776%
22	13.169	13.151	13.268	VB	197243	2417268	24.61%	1.296%
23	13.334	13.295	13.408	BB	443150	5098667	51.92%	2.735%
24	13.917	13.878	13.995	BB	418879	5097264	51.90%	2.734%
25	15.009	14.948	15.030	BV	680098	9821044	100.00%	5.267%
26	15.047	15.030	15.161	VB	411774	5024519	51.16%	2.695%
27	15.399	15.321	15.505	BV	13915	367964	3.75%	0.197%
28	16.029	15.985	16.121	BB	377287	4889554	49.79%	2.622%
29	16.565	16.531	16.580	PV	384919	4801005	48.88%	2.575%
30	16.596	16.580	16.711	VB	399261	4986326	50.77%	2.674%
31	16.971	16.871	17.038	BV	404597	9177684	93.45%	4.922%
32	17.418	17.318	17.461	BB	13379	208559	2.12%	0.112%
33	17.857	17.781	17.898	BB	374411	4806308	48.94%	2.578%
34	18.273	18.125	18.295	BV	13539	312276	3.18%	0.167%
35	18.328	18.295	18.485	VB	351676	9386584	95.58%	5.034%
36	18.583	18.485	18.648	BV	329457	4681213	47.67%	2.511%

					rters			
37	18.683	18.648	18.738	VV	346829	4601149	46.85%	2.468%
38	19.462	19.361	19.501	BV	301731	4248610	43.26%	2.279%
39	20.197	19.945	20.241	BV	272676	3827982	38.98%	2.053%
40	20.957	20.838	21.051	BB	206168	3480996	35.44%	1.867%
41	21.912	21.798	22.011	BB	146235	3482379	35.46%	1.868%
					Sum of corrected areas:		186452556	

Instrument :
FID_C
ClientSampleId :
SP1-BMS

Manual Integrations
APPROVED

Sohil
4/27/2020 5:07:01 PM

Alaphatic EPH 042320.M Mon Apr 27 12:51:39 2020