

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC042822AL\
 Data File : FC059527.D
 Signal(s) : FID1A.CH
 Acq On : 29 Apr 2022 2:37
 Operator : UA/NP
 Sample : N2502-02DL 20X
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :
 C1-EPH-2DL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 04/29/2022
 Supervised By :mohammad ahmed 04/29/2022

Integration File: sample.E
 Quant Time: Apr 29 03:04:34 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 042122.M
 Quant Title : GC Extractables
 QLast Update : Thu Apr 21 17:30:29 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.094	310254	1.931 ug/ml
Spiked Amount 50.000		Recovery =	3.86%
12) S 1-chlorooctadecane (S...	12.539	237832	1.821 ug/mlm
Spiked Amount 50.000		Recovery =	3.64%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC042822AL\
Data File : FC059527.D
Signal(s) : FID1A.CH
Acq On : 29 Apr 2022 2:37
Operator : UA/NP
Sample : N2502-02DL 20X
Misc :
ALS Vial : 23 Sample Multiplier: 1


Instrument :
FID_C
ClientSampleId :
C1-EPH-2DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 04/29/2022
Supervised By :mohammad ahmed 04/29/2022

Integration File: sample.E
Quant Time: Apr 29 03:04:34 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 042122.M
Quant Title : GC Extractables
QLast Update : Thu Apr 21 17:30:29 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#9 ortho-Terphenyl (SURR)

R.T.: 11.094 min
Delta R.T.: -0.004 min
Response: 310254
Conc: 1.93 ug/ml

Instrument :
FID_C
ClientSampleId :
C1-EPH-2DL

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 04/29/2022
Supervised By :mohammad ahmed 04/29/2022



#12 1-chlorooctadecane (SURR)

R.T.: 12.539 min
Delta R.T.: -0.006 min
Response: 237832
Conc: 1.82 ug/ml m