

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC050724AL\
 Data File : FC066347.D
 Signal(s) : FID1A.ch
 Acq On : 08 May 2024 11:41
 Operator : YP/AJ
 Sample : P2391-04DL2 1000X
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: May 08 13:11:03 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 050124.M
 Quant Title : GC Extractables
 QLast Update : Thu May 02 09:03:15 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.614f	79858	0.483 ug/ml
Spiked Amount 50.000		Recovery =	0.97%
12) S 1-chlorooctadecane (S...	13.055f	150366	1.226 ug/ml
Spiked Amount 50.000		Recovery =	2.45%
Target Compounds			
7) T n-Hexadecane (C16)	9.805	66091	0.432 ug/ml
10) T n-Eicosane (C20)	12.559	95420	0.663 ug/ml
11) T n-Heneicosane (C21)	13.220	189570	1.349 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC050724AL\
Data File : FC066347.D
Signal(s) : FID1A.ch
Acq On : 08 May 2024 11:41
Operator : YP/AJ
Sample : P2391-04DL2 1000X
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :

Integration File: autoint1.e
Quant Time: May 08 13:11:03 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 050124.M
Quant Title : GC Extractables
QLast Update : Thu May 02 09:03:15 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#7 n-Hexadecane (C16)


R.T.: 9.805 min
Delta R.T.: 0.000 min
Response: 66091
Conc: 0.43 ug/ml

Instrument :
FID_C
ClientSampleId :




#9 ortho-Terphenyl (SURR)

R.T.: 11.614 min
Delta R.T.: 0.052 min
Response: 79858
Conc: 0.48 ug/ml




#10 n-Eicosane (C20)

R.T.: 12.559 min
Delta R.T.: 0.000 min
Response: 95420
Conc: 0.66 ug/ml



#11 n-Heneicosane (C21)

R.T.: 13.220 min
Delta R.T.: 0.050 min
Response: 189570
Conc: 1.35 ug/ml



#12 1-chlorooctadecane (SURR)

R.T.: 13.055 min
Delta R.T.: 0.052 min
Response: 150366
Conc: 1.23 ug/ml

Instrument :
FID_C
ClientSampleId :