

Instrument :
FID_C
ClientSampleId :
T-1MS

rteres

Area Percent Report

Manual Integrations
APPROVED

Ankita
6/8/2021 8:49:17 AM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC060421AL\
Data File : FC054034.D
Signal(s) : FID1A.CH
Acq On : 05 Jun 2021 16:56
Sample : M2611-01MS
Misc :
ALS Vial : 38 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 052721.M
Title : GC Extractables

Signal : FID1A.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.164	3.128	3.235	BB	401942	3284087	68.63%	1.984%
2	4.224	4.195	4.241	BV	432689	3770693	78.80%	2.278%
3	4.260	4.241	4.335	VB	441621	3874384	80.97%	2.340%
4	5.793	5.745	5.848	BV	473098	4325179	90.39%	2.613%
5	6.234	6.188	6.298	BB	438371	4259550	89.02%	2.573%
6	6.848	6.816	6.941	VB	465539	4576573	95.64%	2.765%
7	7.460	7.411	7.545	BB	480003	4683297	97.87%	2.829%
8	8.028	7.981	8.068	BV	436612	4484201	93.71%	2.709%
9	8.125	8.068	8.198	VB	475340	4785064	100.00%	2.890%
10	8.324	8.285	8.388	BV	307093	3130518	65.42%	1.891%
11	8.422	8.388	8.498	VB	469187	4758924	99.45%	2.875%
12	9.205	9.155	9.291	BB	443556	4754693	99.37%	2.872%
13	9.625	9.585	9.685	BB	416014	4580713	95.73%	2.767%
14	10.604	10.551	10.650	BV	425476	4670312	97.60%	2.821%
15	10.681	10.650	10.745	VB	443586	4629525	96.75%	2.797%
16	11.066	11.028	11.128	BB	403401	4690506	98.02%	2.833%
17	11.370	11.321	11.425	BB	354749	3806974	79.56%	2.300%
18	12.375	12.325	12.397	BV	376062	4466469	93.34%	2.698%
19	12.423	12.397	12.491	VB	401006	4474827	93.52%	2.703%
20	12.720	12.681	12.756	BV	394447	4441958	92.83%	2.683%
21	12.815	12.784	12.881	VB	245451	2901841	60.64%	1.753%
22	12.985	12.938	13.038	BB	372161	4422517	92.42%	2.671%
23	13.572	13.531	13.638	BB	351040	4299702	89.86%	2.597%
24	14.601	14.558	14.622	BV	308720	4120025	86.10%	2.489%
25	14.645	14.622	14.658	VV	374668	4322584	90.33%	2.611%
26	14.673	14.658	14.741	VB	327248	4038861	84.41%	2.440%
27	15.049	15.008	15.118	BB	14610	220938	4.62%	0.133%
28	15.696	15.531	15.731	BV	310692	4081025	85.29%	2.465%
29	16.163	16.115	16.178	BV	295641	4297716	89.82%	2.596%
30	16.196	16.178	16.271	VB	351142	4186514	87.49%	2.529%
31	16.544	16.455	16.588	BV	337176	4225609	88.31%	2.553%
32	16.644	16.588	16.702	VV	300169	4101885	85.72%	2.478%
33	17.533	17.455	17.568	BV	281946	3923200	81.99%	2.370%
34	17.921	17.858	17.936	VV	277360	4142288	86.57%	2.502%
35	17.957	17.936	18.025	VB	312872	4286209	89.57%	2.589%
36	18.180	18.085	18.248	BB	303067	4093412	85.55%	2.473%

					rt	Area	%Area	%Area
37	18.364	18.251	18.395	BV	274559	3879964	81.08%	2.344%
38	18.706	18.488	18.734	VV	13666	295938	6.18%	0.179%
39	18.758	18.734	18.791	VV	11493	182046	3.80%	0.110%
40	19.147	19.098	19.175	M	251539	3546798	74.12%	2.143%
41	19.888	19.841	19.926	M	231191	3348602	69.98%	2.023%
42	20.599	20.552	20.635	M	202807	3122705	65.26%	1.886%
43	21.438	21.385	21.487	M	144734	3055915	63.86%	1.846%
Sum of corrected areas:					165544740			

Instrument :
FID_C
ClientSampleId :
T-1MS

Manual Integrations
APPROVED

Ankita
6/8/2021 8:49:17 AM

Alaphatic EPH 052721.M Mon Jun 07 12:18:23 2021