

Instrument :
FID_C
ClientSampleId :
T-1MSD

rteres

Area Percent Report

Manual Integrations
APPROVED

Ankita
6/8/2021 8:49:19 AM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC060421AL\
Data File : FC054035.D
Signal(s) : FID1A.CH
Acq On : 05 Jun 2021 17:35
Sample : M2611-01MSD
Misc :
ALS Vial : 39 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 052721.M
Title : GC Extractables

Signal : FID1A.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.164	3.138	3.228	BB	395172	3257002	68.26%	1.969%
2	4.223	4.188	4.241	BV	424063	3764861	78.90%	2.276%
3	4.259	4.241	4.338	VB	437029	3872137	81.15%	2.341%
4	5.793	5.761	5.844	BV	463517	4331186	90.77%	2.619%
5	6.234	6.188	6.301	BB	443336	4259424	89.26%	2.576%
6	6.848	6.816	6.938	VB	477085	4568018	95.73%	2.762%
7	7.460	7.405	7.548	BB	491582	4682198	98.12%	2.831%
8	8.027	7.981	8.061	BV	433640	4479637	93.88%	2.709%
9	8.125	8.094	8.198	VB	477744	4771731	100.00%	2.885%
10	8.324	8.285	8.391	BV	312259	3131712	65.63%	1.894%
11	8.422	8.391	8.495	VB	479360	4750798	99.56%	2.873%
12	9.204	9.165	9.288	BB	455673	4747032	99.48%	2.870%
13	9.624	9.578	9.691	BB	423478	4600108	96.40%	2.782%
14	10.604	10.551	10.648	BV	420133	4664353	97.75%	2.820%
15	10.681	10.648	10.745	VB	443597	4628872	97.01%	2.799%
16	11.065	11.025	11.131	BB	414179	4701298	98.52%	2.843%
17	11.370	11.325	11.428	BB	358647	3809470	79.83%	2.303%
18	12.373	12.328	12.396	BV	378125	4473865	93.76%	2.705%
19	12.422	12.396	12.498	VB	388806	4483594	93.96%	2.711%
20	12.720	12.675	12.755	BV	397190	4441866	93.09%	2.686%
21	12.814	12.783	12.878	VB	248639	2905852	60.90%	1.757%
22	12.985	12.945	13.055	BB	365226	4427529	92.79%	2.677%
23	13.570	13.531	13.635	BB	343836	4301278	90.14%	2.601%
24	14.601	14.561	14.620	BV	327711	4116537	86.27%	2.489%
25	14.645	14.620	14.658	VV	364430	4324558	90.63%	2.615%
26	14.672	14.658	14.741	VB	336002	4029932	84.45%	2.437%
27	15.049	15.008	15.118	BB	14646	226957	4.76%	0.137%
28	15.696	15.535	15.732	BV	315105	4086380	85.64%	2.471%
29	16.161	16.115	16.177	BV	289538	4274247	89.57%	2.585%
30	16.196	16.177	16.271	VB	353397	4182257	87.65%	2.529%
31	16.543	16.458	16.591	BV	328142	4215902	88.35%	2.549%
32	16.643	16.591	16.701	VV	311543	4089208	85.70%	2.473%
33	17.533	17.451	17.569	BV	287050	3921425	82.18%	2.371%
34	17.919	17.858	17.935	VV	273752	4152429	87.02%	2.511%
35	17.956	17.935	18.025	VB	309325	4247058	89.00%	2.568%
36	18.179	18.028	18.245	BB	289135	4082600	85.56%	2.469%

	Area	Height	Width	Area%	Height%	Width%	Area%	Height%	Width%
37	18.364	18.292	18.387	M	270247	3843091	80.54%	2.324%	
38	18.705	18.541	18.734	BV	14350	280467	5.88%	0.170%	
39	18.757	18.734	18.792	VV	11986	192464	4.03%	0.116%	
40	19.146	19.099	19.179	M	248573	3531581	74.01%	2.135%	
41	19.887	19.838	19.929	M	233931	3336235	69.92%	2.017%	
42	20.597	20.521	20.635	BB	197463	3108666	65.15%	1.880%	
43	21.438	21.348	21.498	BB	139608	3083575	64.62%	1.865%	
Sum of corrected areas:							165379385		

Instrument :
FID_C
ClientSampleId :
T-1MSD

Manual Integrations
APPROVED

Ankita
6/8/2021 8:49:19 AM

Alaphatic EPH 052721.M Mon Jun 07 12:19:20 2021