

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC060621AL\
 Data File : FC054074.D
 Signal(s) : FID1A.CH
 Acq On : 07 Jun 2021 5:23
 Operator : DD\AJ
 Sample : M2589-13DL 5X
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Jun 07 06:56:27 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 052721.M
 Quant Title : GC Extractables
 QLast Update : Fri May 28 09:04:47 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.363	854908	6.123 ug/ml
Spiked Amount 50.000		Recovery =	12.25%
12) S 1-chlorooctadecane (S...	12.808	734226	6.549 ug/ml
Spiked Amount 50.000		Recovery =	13.10%
Target Compounds			
10) T n-Eicosane (C20)	12.412f	731532	5.458 ug/ml
11) T n-Heneicosane (C21)	13.003	357581	2.666 ug/ml
14) T n-Tetracosane (C24)	14.629	332079	2.473 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC060621AL\
Data File : FC054074.D
Signal(s) : FID1A.CH
Acq On : 07 Jun 2021 5:23
Operator : DD\AJ
Sample : M2589-13DL 5X
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :

Integration File: autoint1.e
Quant Time: Jun 07 06:56:27 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 052721.M
Quant Title : GC Extractables
QLast Update : Fri May 28 09:04:47 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#9 ortho-Terphenyl (SURR)


R.T.: 11.363 min
Delta R.T.: 0.014 min
Response: 854908
Conc: 6.12 ug/ml

Instrument :
FID_C
ClientSampleId :




#10 n-Eicosane (C20)

R.T.: 12.412 min
Delta R.T.: 0.059 min
Response: 731532
Conc: 5.46 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.003 min
Delta R.T.: 0.039 min
Response: 357581
Conc: 2.67 ug/ml



#12 1-chlorooctadecane (SURR)

R.T.: 12.808 min
Delta R.T.: 0.012 min
Response: 734226
Conc: 6.55 ug/ml



#14 n-Tetracosane (C24)

R.T.: 14.629 min
Delta R.T.: -0.023 min
Response: 332079
Conc: 2.47 ug/ml

Instrument :
FID_C
ClientSampleId :