

rteres

Instrument :

FID_C

ClientSampleId :

PB168308BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/09/2025

Supervised By :mohammad ahmed 06/10/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC06062
Data File : FC069113.D
Signal(s) : FID1A.ch
Acq On : 06 Jun 2025 14:51
Sample : PB168308BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 052425.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.414	3.360	3.459	BB	580836	4770573	47.45%	2.432%
2	4.485	4.429	4.506	BV	588128	5067659	50.40%	2.584%
3	4.527	4.506	4.571	VV	647501	5625916	55.95%	2.869%
4	6.076	6.022	6.149	BB	646813	6015219	59.83%	3.067%
5	6.507	6.442	6.559	BB	529300	5195101	51.67%	2.649%
6	7.136	7.085	7.202	BB	574246	5547550	55.17%	2.829%
7	8.308	8.240	8.352	BB	507164	5097805	50.70%	2.599%
8	8.422	8.360	8.472	BB	607193	5961539	59.29%	3.040%
9	8.720	8.674	8.765	BB	592602	5931516	58.99%	3.024%
10	9.506	9.447	9.564	BB	577741	5902462	58.70%	3.010%
11	9.912	9.842	9.979	BB	464719	5050575	50.23%	2.575%
12	10.912	10.822	10.949	BV	528162	5651787	56.21%	2.882%
13	10.988	10.949	11.045	VV	514291	5576715	55.46%	2.844%
14	11.358	11.330	11.399	BB	441242	4880878	48.54%	2.489%
15	11.680	11.610	11.725	BB	464916	5005420	49.78%	2.552%
16	12.671	12.605	12.700	BV	421509	4983719	49.57%	2.541%
17	12.737	12.700	12.774	VB	492728	5526916	54.97%	2.818%
18	13.037	12.964	13.065	BV	466878	5502105	54.72%	2.805%
19	13.116	13.065	13.167	VB	321821	3868970	38.48%	1.973%
20	13.284	13.212	13.335	BB	399227	4772704	47.47%	2.434%
21	13.871	13.804	13.922	BB	387435	4721264	46.96%	2.407%
22	14.921	14.854	14.940	BV	403067	5387513	53.58%	2.747%
23	14.967	14.940	15.034	VB	665506	10054646	100.00%	5.127%
24	16.003	15.930	16.049	BB	363527	4637088	46.12%	2.364%
25	16.481	16.407	16.498	BV	369541	5508490	54.79%	2.809%
26	16.518	16.498	16.580	VB	449747	5447612	54.18%	2.778%
27	16.865	16.787	16.900	BV	391795	5343121	53.14%	2.724%
28	16.953	16.900	17.009	VB	352239	4645393	46.20%	2.369%
29	17.844	17.800	17.904	BB	336359	4641398	46.16%	2.367%
30	18.241	18.157	18.257	BV	350625	5655006	56.24%	2.883%
31	18.280	18.257	18.369	VB	394625	5161777	51.34%	2.632%
32	18.500	18.422	18.570	BB	349232	5255380	52.27%	2.680%
33	18.678	18.610	18.740	BB	320633	4660628	46.35%	2.376%
34	19.464	19.420	19.517	BB	340768	4858708	48.32%	2.477%
35	20.206	20.160	20.265	BB	322753	4768563	47.43%	2.431%
36	20.977	20.899	21.049	BB	265500	4843462	48.17%	2.470%

37 21.944 21.890 22.044 BB 183472 4594746 45.70% 2.343%
rteres
Sum of corrected areas: 1965

Aliphatic EPH 052425.M Sat Jun 07 03:44:47 2025

Instrument :

FID_C

ClientSampleId :

PB168308BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/09/2025

Supervised By :mohammad ahmed 06/10/2025