

Instrument :
FID_C
ClientSampleId :
18-B12(70-74)MSD

rteres

Area Percent Report

Manual Integrations
APPROVED

Ankita
6/8/2021 1:52:22 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC060721AL\
Data File : FC054088.D
Signal(s) : FID1A.CH
Acq On : 07 Jun 2021 16:50
Sample : M2612-17MSD
Misc :
ALS Vial : 11 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 052721.M
Title : GC Extractables

Signal : FID1A.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.158	3.132	3.218	BB	506577	4176291	65.32%	1.924%
2	4.217	4.175	4.234	BV	567514	5019466	78.50%	2.313%
3	4.252	4.234	4.332	VB	602502	5257192	82.22%	2.422%
4	5.785	5.752	5.892	BB	645493	6009252	93.98%	2.769%
5	6.227	6.192	6.298	BB	579556	5703663	89.20%	2.628%
6	6.839	6.802	6.948	BB	602869	6141988	96.06%	2.830%
7	7.452	7.408	7.538	BB	587429	5658038	88.49%	2.607%
8	8.020	7.955	8.051	BV	582553	5959323	93.20%	2.746%
9	8.073	8.051	8.089	VV	24207	232477	3.64%	0.107%
10	8.116	8.089	8.198	VB	631833	6393889	100.00%	2.946%
11	8.314	8.275	8.382	BV	362249	3771459	58.99%	1.738%
12	8.413	8.382	8.498	VB	599939	6363690	99.53%	2.932%
13	9.196	9.152	9.295	BB	586291	6270788	98.07%	2.889%
14	9.617	9.565	9.682	BB	539223	5897344	92.23%	2.717%
15	10.595	10.532	10.638	BV	551479	5962774	93.26%	2.747%
16	10.671	10.638	10.738	VV	542141	5900404	92.28%	2.718%
17	11.057	11.018	11.128	BB	510894	5946382	93.00%	2.740%
18	11.361	11.308	11.432	BB	509267	5705348	89.23%	2.629%
19	12.365	12.318	12.386	BV	456068	5639716	88.20%	2.598%
20	12.412	12.386	12.488	VB	482540	5655148	88.45%	2.605%
21	12.709	12.652	12.746	BV	474642	5618980	87.88%	2.589%
22	12.805	12.773	12.875	VB	355477	4274816	66.86%	1.969%
23	12.976	12.932	13.035	BB	463071	5578929	87.25%	2.570%
24	13.562	13.485	13.632	BB	427109	5457316	85.35%	2.514%
25	14.590	14.548	14.609	BV	403582	5270034	82.42%	2.428%
26	14.633	14.609	14.647	VV	451796	5443172	85.13%	2.508%
27	14.663	14.647	14.735	VB	421101	5210790	81.50%	2.401%
28	15.042	14.978	15.115	BB	33029	575625	9.00%	0.265%
29	15.685	15.618	15.752	BB	403371	5172568	80.90%	2.383%
30	16.149	16.105	16.165	VV	382488	5535616	86.58%	2.550%
31	16.184	16.165	16.258	VB	442912	5373216	84.04%	2.476%
32	16.531	16.482	16.576	BV	427597	5446510	85.18%	2.509%
33	16.633	16.576	16.692	VB	386292	5220965	81.66%	2.405%
34	17.522	17.448	17.555	BB	377607	5049060	78.97%	2.326%
35	17.907	17.850	17.922	VV	360978	5452396	85.28%	2.512%
36	17.944	17.922	18.015	VV	390741	5254385	82.18%	2.421%

	Area	Height	Width	Retention Time	Area%	Height%	Width%
37	18.166	18.015	18.238	VB 359823	5329761	83.36%	2.455%
38	18.353	18.238	18.392	BB 354158	5044686	78.90%	2.324%
39	19.135	19.084	19.168	M 338399	4844563	75.77%	2.232%
40	19.875	19.829	19.915	M 331756	4812235	75.26%	2.217%
41	20.584	20.498	20.648	BB 287239	4661439	72.90%	2.148%
42	21.420	21.315	21.495	BB 222221	4763053	74.49%	2.194%
Sum of corrected areas:					217054748		

Instrument :
FID_C
ClientSampleId :
18-B12(70-74)MSD

Manual Integrations
APPROVED

Ankita
6/8/2021 1:52:22 PM

Alaphatic EPH 052721.M Tue Jun 08 11:38:29 2021