

Instrument :
FID_C
ClientSampleId :
17-B6(4-8)MSD

rtres

Area Percent Report

Manual Integrations
APPROVED

Ankita
6/10/2021 3:16:15 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC060921AL\
Data File : FC054170.D
Signal(s) : FID1A.CH
Acq On : 10 Jun 2021 6:15
Sample : M2651-05MSD
Misc :
ALS Vial : 23 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 052721.M
Title : GC Extractables

Signal : FID1A.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.164	3.135	3.265	BB	558615	4618268	52.00%	1.515%
2	4.222	4.192	4.239	VV	652021	5837115	65.72%	1.914%
3	4.257	4.239	4.306	VV	673169	6227850	70.12%	2.043%
4	5.789	5.750	5.836	M	775151	7206378	81.13%	2.364%
5	6.232	6.200	6.345	VB	736437	7311851	82.32%	2.398%
6	6.843	6.808	6.965	PV	772779	7945487	89.46%	2.606%
7	7.454	7.408	7.509	BV	629841	6331158	71.28%	2.076%
8	8.023	7.997	8.057	VV	783845	8181180	92.11%	2.683%
9	8.118	8.092	8.278	VB	854783	8704184	98.00%	2.855%
10	8.315	8.278	8.378	BV	397422	4267246	48.04%	1.400%
11	8.415	8.378	8.592	VB	837881	8882105	100.00%	2.913%
12	9.196	9.158	9.325	BV	803167	8807395	99.16%	2.889%
13	9.617	9.575	9.692	BB	805233	8485701	95.54%	2.783%
14	10.593	10.538	10.637	BV	809859	8647283	97.36%	2.836%
15	10.670	10.637	10.738	VV	777602	8573264	96.52%	2.812%
16	11.056	11.022	11.115	BV	760336	8747168	98.48%	2.869%
17	11.358	11.258	11.388	BV	642023	6757718	76.08%	2.216%
18	11.408	11.388	11.482	VB	6926	122952	1.38%	0.040%
19	12.362	12.312	12.382	VV	684657	8357202	94.09%	2.741%
20	12.409	12.382	12.535	VB	703431	8499228	95.69%	2.788%
21	12.590	12.562	12.662	BB	6906	97208	1.09%	0.032%
22	12.705	12.662	12.741	BV	701379	8436795	94.99%	2.767%
23	12.800	12.741	12.898	VB	444606	5427854	61.11%	1.780%
24	12.972	12.930	13.048	PV	670963	8261842	93.02%	2.710%
25	13.076	13.048	13.142	VB	9202	112089	1.26%	0.037%
26	13.558	13.485	13.655	BB	645859	8061575	90.76%	2.644%
27	14.584	14.408	14.604	BV	592423	7928973	89.27%	2.601%
28	14.630	14.604	14.643	VV	690239	8399579	94.57%	2.755%
29	14.658	14.643	14.725	VV	626626	7477517	84.19%	2.452%
30	15.681	15.618	15.724	BV	560407	7611239	85.69%	2.496%
31	16.145	16.102	16.161	BV	528448	8317900	93.65%	2.728%

rteres									
32	16.180	16.161	16.258	VV	659350	7992127	89.98%	2.621%	
33	16.528	16.484	16.575	VV	603210	8173238	92.02%	2.68	
34	16.628	16.575	16.686	VV	585715	7674721	86.41%	2.51	
35	17.517	17.432	17.562	PV	539977	7441032	83.78%	2.44	
36	17.903	17.845	17.917	VV	517686	7892558	88.86%	2.58	
37	17.939	17.917	18.015	VV	551836	7895392	88.89%	2.590%	
38	18.162	18.058	18.262	BV	532133	7904343	88.99%	2.592%	
39	18.347	18.262	18.395	PV	530755	7380390	83.09%	2.421%	
40	18.705	18.652	18.717	PV	7314	135081	1.52%	0.044%	
41	18.734	18.717	18.808	VB	7811	165369	1.86%	0.054%	
42	19.129	19.038	19.189	BV	508695	7380015	83.09%	2.420%	
43	19.367	19.342	19.420	VV	8352	136760	1.54%	0.045%	
44	19.870	19.788	19.938	BV	500490	7356775	82.83%	2.413%	
45	20.578	20.520	20.622	M	451959	7278157	81.94%	2.387%	
46	21.410	21.338	21.463	M	341200	7448160	83.86%	2.443%	
Sum of corrected areas:						304897420			

Instrument :
FID_C
ClientSampleId :
17-B6(4-8)MSD

Manual Integrations
APPROVED

Ankita
6/10/2021 3:16:15 PM

Alaphatic EPH 052721.M Thu Jun 10 13:17:00 2021