

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC060925AL\
 Data File : FC069142.D
 Signal(s) : FID1A.ch
 Acq On : 09 Jun 2025 23:02
 Operator : YP/AJ
 Sample : PB168341BS
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :
 PB168341BS

Integration File: autoint1.e
 Quant Time: Jun 10 05:25:52 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 052425.M
 Quant Title : GC Extractables
 QLast Update : Tue May 27 01:48:55 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.680	4791027	38.843 ug/ml
Spiked Amount 50.000		Recovery =	77.69%
12) S 1-chlorooctadecane (S...	13.116	3620229	40.353 ug/ml
Spiked Amount 50.000		Recovery =	80.71%
Target Compounds			
1) T n-Nonane (C9)	3.412	5143611	48.468 ug/ml
2) T n-Decane (C10)	4.527	6103468	57.630 ug/ml
3) T A~Naphthalene (C11.7)	6.077	6471665	55.966 ug/ml
4) T n-Dodecane (C12)	6.508	5496163	52.284 ug/ml
5) T A~2-methylnaphthalene...	7.136	5899449	52.037 ug/ml
6) T n-Tetradecane (C14)	8.309	5275176	51.463 ug/ml
7) T n-Hexadecane (C16)	9.912	5200958	51.257 ug/ml
8) T n-Octadecane (C18)	11.359	5023917	50.267 ug/ml
10) T n-Eicosane (C20)	12.671	5136712	52.739 ug/ml
11) T n-Heneicosane (C21)	13.284	4923298	51.150 ug/ml
13) T n-Docosane (C22)	13.871	4882973	51.255 ug/ml
14) T n-Tetracosane (C24)	14.968	10651374	113.128 ug/ml
15) T n-Hexacosane (C26)	16.002	4879443	52.557 ug/ml
16) T n-Octacosane (C28)	16.952	4941774	53.165 ug/ml
17) T n-Tricontane (C30)	17.843	4999524	51.671 ug/ml
18) T n-Dotriacontane (C32)	18.677	5071413	51.176 ug/ml
19) T n-Tetratriacontane (C34)	19.463	5285344	54.839 ug/ml
20) T n-Hexatriacontane (C36)	20.204	5223551	55.025 ug/ml
21) T n-Octatriacontane (C38)	20.975	5148515	56.431 ug/ml
22) T n-Tetracontane (C40)	21.947	4459082	50.537 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC060925AL\
Data File : FC069142.D
Signal(s) : FID1A.ch
Acq On : 09 Jun 2025 23:02
Operator : YP/AJ
Sample : PB168341BS
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
PB168341BS

Integration File: autoint1.e
Quant Time: Jun 10 05:25:52 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 052425.M
Quant Title : GC Extractables
QLast Update : Tue May 27 01:48:55 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.412 min
Delta R.T.: -0.029 min
Response: 5143611
Conc: 48.47 ug/ml

Instrument :
FID_C
ClientSampleId :
PB168341BS




#2 n-Decane (C10)

R.T.: 4.527 min
Delta R.T.: 0.012 min
Response: 6103468
Conc: 57.63 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 6.077 min
Delta R.T.: -0.035 min
Response: 6471665
Conc: 55.97 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.508 min
Delta R.T.: -0.032 min
Response: 5496163
Conc: 52.28 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 7.136 min
Delta R.T.: -0.034 min
Response: 5899449
Conc: 52.04 ug/ml

Instrument :
FID_C
ClientSampleId :
PB168341BS




#6 n-Tetradecane (C14)

R.T.: 8.309 min
Delta R.T.: -0.028 min
Response: 5275176
Conc: 51.46 ug/ml




#7 n-Hexadecane (C16)

R.T.: 9.912 min
Delta R.T.: -0.028 min
Response: 5200958
Conc: 51.26 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.359 min
Delta R.T.: -0.024 min
Response: 5023917
Conc: 50.27 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.680 min
Delta R.T.: -0.027 min
Response: 4791027
Conc: 38.84 ug/ml

Instrument :
FID_C
ClientSampleId :
PB168341BS




#10 n-Eicosane (C20)

R.T.: 12.671 min
Delta R.T.: -0.023 min
Response: 5136712
Conc: 52.74 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.284 min
Delta R.T.: -0.023 min
Response: 4923298
Conc: 51.15 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 13.116 min
Delta R.T.: -0.023 min
Response: 3620229
Conc: 40.35 ug/ml



#13 n-Docosane (C22)


R.T.: 13.871 min
Delta R.T.: -0.022 min
Response: 4882973
Conc: 51.25 ug/ml

Instrument :
FID_C
ClientSampleId :
PB168341BS




#14 n-Tetracosane (C24)

R.T.: 14.968 min
Delta R.T.: -0.029 min
Response: 10651374
Conc: 113.13 ug/ml




#15 n-Hexacosane (C26)

R.T.: 16.002 min
Delta R.T.: -0.017 min
Response: 4879443
Conc: 52.56 ug/ml



#16 n-Octacosane (C28)


R.T.: 16.952 min
Delta R.T.: -0.018 min
Response: 4941774
Conc: 53.16 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.843 min
Delta R.T.: -0.014 min
Response: 4999524
Conc: 51.67 ug/ml

Instrument :
FID_C
ClientSampleId :
PB168341BS




#18 n-Dotriacontane (C32)

R.T.: 18.677 min
Delta R.T.: -0.015 min
Response: 5071413
Conc: 51.18 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.463 min
Delta R.T.: -0.013 min
Response: 5285344
Conc: 54.84 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 20.204 min
Delta R.T.: -0.014 min
Response: 5223551
Conc: 55.03 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 20.975 min
Delta R.T.: -0.016 min
Response: 5148515
Conc: 56.43 ug/ml

Instrument :
FID_C
ClientSampleId :
PB168341BS



#22 n-Tetracontane (C40)

R.T.: 21.947 min
Delta R.T.: -0.018 min
Response: 4459082
Conc: 50.54 ug/ml