

Instrument :
FID_C
ClientSampleId :
PE-1MS

rteres

Area Percent Report

Manual Integrations
APPROVED

Ankita
6/17/2021 3:18:06 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC061621AL\
Data File : FC054269.D
Signal(s) : FID1A.CH
Acq On : 16 Jun 2021 16:13
Sample : M2711-01MS
Misc :
ALS Vial : 7 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 061021.M
Title : GC Extractables

Signal : FID1A.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.160	3.098	3.242	BB	432318	3541554	59.66%	2.005%
2	4.215	4.145	4.233	BV	472361	4099439	69.06%	2.321%
3	4.250	4.233	4.345	VV	499720	4386932	73.91%	2.484%
4	5.780	5.705	5.831	BV	520441	4880517	82.22%	2.763%
5	6.222	6.155	6.318	BB	475145	4629647	77.99%	2.621%
6	6.833	6.798	6.955	PV	490767	4952182	83.43%	2.804%
7	7.446	7.365	7.558	BB	594553	5935839	100.00%	3.361%
8	8.012	7.962	8.050	BBA	464473	4790133	80.70%	2.712%
9	8.107	8.052	8.262	BB	519462	5253350	88.50%	2.975%
10	8.307	8.265	8.373	BV	376540	3968503	66.86%	2.247%
11	8.404	8.373	8.525	VV	545601	5527076	93.11%	3.130%
12	9.186	9.108	9.307	BB	496296	5267512	88.74%	2.983%
13	9.607	9.535	9.678	BB	435368	4805236	80.95%	2.721%
14	10.583	10.502	10.630	BV	467193	4948995	83.37%	2.802%
15	10.660	10.630	10.782	VV	470117	5061047	85.26%	2.866%
16	11.047	10.985	11.108	BV	434045	4873352	82.10%	2.759%
17	11.350	11.307	11.379	M	377470	4143593	69.81%	2.346%
18	12.354	12.265	12.375	BV	407941	4639678	78.16%	2.627%
19	12.399	12.375	12.518	VB	414404	4739682	79.85%	2.684%
20	12.696	12.648	12.738	BV	409567	4763927	80.26%	2.697%
21	12.794	12.763	12.825	VV	279304	3250415	54.76%	1.840%
22	12.964	12.878	13.042	BB	389960	4587687	77.29%	2.598%
23	13.550	13.452	13.587	BV	369657	4447328	74.92%	2.518%
24	14.577	14.535	14.596	BV	345377	4260314	71.77%	2.412%
25	14.619	14.596	14.633	VV	367337	4171460	70.28%	2.362%
26	14.651	14.633	14.732	VB	350718	4356513	73.39%	2.467%
27	15.031	14.975	15.102	BB	10421	192331	3.24%	0.109%
28	15.181	15.132	15.203	BV	6439	84496	1.42%	0.048%
29	15.672	15.522	15.748	BB	324030	4159883	70.08%	2.355%
30	16.135	16.088	16.151	BV	327839	4333462	73.01%	2.454%
31	16.169	16.151	16.208	VV	343929	4192710	70.63%	2.374%
32	16.516	16.455	16.572	BV	332763	4203606	70.82%	2.380%
33	16.620	16.572	16.650	PV	299157	3974917	66.96%	2.251%
34	17.508	17.422	17.555	VV	281457	3902228	65.74%	2.210%
35	17.893	17.745	17.908	BV	298216	4107066	69.19%	2.326%
36	17.928	17.908	18.012	VB	324958	4065506	68.49%	2.302%

rteres								
37	18.149	18.025	18.242	BB	330239	4234411	71.34%	2.398%
38	18.339	18.242	18.382	BV	272914	3787568	63.81%	2.145%
39	18.692	18.382	18.711	PV	3210	285636	4.81%	0.162%
40	18.732	18.711	18.802	VB	3714	79186	1.33%	0.045%
41	19.122	19.077	19.151	M	261402	3669174	61.81%	2.078%
42	19.861	19.812	19.922	VB	245681	3667405	61.78%	2.077%
43	20.569	20.524	20.613	VV	226680	3652185	61.53%	2.068%
44	21.395	21.325	21.445	M	166543	3734141	62.91%	2.114%
Sum of corrected areas:						176607818		

Instrument :
FID_C
ClientSampleId :
PE-1MS

Manual Integrations
APPROVED

Ankita
6/17/2021 3:18:06 PM

Alaphatic EPH 061021.M Thu Jun 17 08:47:02 2021