

Instrument :
FID_C
ClientSampleId :
PE-1MSD

rteres

Area Percent Report

Manual Integrations
APPROVED

Ankita
6/17/2021 3:18:08 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC061621AL\
Data File : FC054270.D
Signal(s) : FID1A.CH
Acq On : 16 Jun 2021 16:52
Sample : M2711-01MSD
Misc :
ALS Vial : 8 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 061021.M
Title : GC Extractables

Signal : FID1A.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.159	3.131	3.238	BB	432539	3551841	59.63%	1.994%
2	4.215	4.158	4.232	BV	469431	4111983	69.03%	2.309%
3	4.250	4.232	4.345	VV	500841	4399369	73.86%	2.470%
4	5.779	5.711	5.830	BV	511700	4906437	82.37%	2.755%
5	5.848	5.830	5.931	VV	26085	369858	6.21%	0.208%
6	6.221	6.161	6.311	BB	471673	4647848	78.03%	2.610%
7	6.832	6.775	6.952	BV	501271	4965819	83.37%	2.788%
8	7.445	7.348	7.561	BB	598736	5956529	100.00%	3.345%
9	8.012	7.961	8.050	BBA	468263	4829567	81.08%	2.712%
10	8.107	8.051	8.218	BB	530728	5285631	88.74%	2.968%
11	8.307	8.228	8.373	BV	374229	3991822	67.02%	2.241%
12	8.404	8.373	8.521	VV	542878	5571177	93.53%	3.128%
13	9.186	9.105	9.311	BB	496514	5318287	89.29%	2.986%
14	9.608	9.525	9.681	BB	456595	4850188	81.43%	2.723%
15	9.763	9.701	9.835	BB	8788	87359	1.47%	0.049%
16	10.584	10.488	10.630	BV	457164	4980518	83.61%	2.797%
17	10.660	10.630	10.738	VB	460562	5037726	84.57%	2.829%
18	11.047	10.881	11.111	PV	446927	4966380	83.38%	2.789%
19	11.350	11.316	11.380	M	391026	4217033	70.80%	2.368%
20	12.354	12.271	12.375	BV	417012	4715246	79.16%	2.648%
21	12.399	12.375	12.518	VB	413699	4811707	80.78%	2.702%
22	12.696	12.648	12.738	BV	411847	4820150	80.92%	2.707%
23	12.794	12.763	12.825	VV	284435	3304818	55.48%	1.856%
24	12.965	12.888	13.041	BB	398229	4665643	78.33%	2.620%
25	13.550	13.475	13.621	BB	375679	4537212	76.17%	2.548%
26	14.576	14.538	14.596	BV	346703	4294360	72.10%	2.411%
27	14.618	14.596	14.633	VV	370250	4214526	70.75%	2.367%
28	14.651	14.633	14.741	VB	335601	4439559	74.53%	2.493%
29	15.032	14.975	15.125	BB	11672	204077	3.43%	0.115%
30	15.180	15.141	15.202	BV	6292	85833	1.44%	0.048%
31	15.672	15.515	15.748	BB	329052	4242076	71.22%	2.382%
32	16.134	16.081	16.151	BV	324967	4360092	73.20%	2.448%
33	16.168	16.151	16.207	VV	367228	4198188	70.48%	2.357%
34	16.516	16.468	16.581	BV	336899	4225819	70.94%	2.373%
35	16.620	16.581	16.649	PV	298908	4017958	67.45%	2.256%
36	17.508	17.421	17.546	VV	264379	3916314	65.75%	2.199%

rteres								
37	17.891	17.611	17.907	VV	306617	4100991	68.85%	2.303%
38	17.927	17.907	18.031	VB	332841	4113381	69.06%	2.310%
39	18.148	18.031	18.261	BB	318421	4284172	71.92%	2.406%
40	18.338	18.261	18.378	BV	274801	3785676	63.56%	2.126%
41	18.697	18.378	18.715	PV	2663	182187	3.06%	0.102%
42	18.730	18.715	18.771	VV	3017	49365	0.83%	0.028%
43	19.122	19.005	19.185	BV	262307	3685317	61.87%	2.069%
44	19.861	19.781	19.902	BV	253445	3701541	62.14%	2.078%
45	20.567	20.515	20.606	M	223636	3482234	58.46%	1.955%
46	21.397	21.326	21.440	M	168869	3603409	60.50%	2.023%
Sum of corrected areas:					178087224			

Instrument :
FID_C
ClientSampleId :
PE-1MSD

Manual Integrations
APPROVED

Ankita
6/17/2021 3:18:08 PM

Alaphatic EPH 061021.M Thu Jun 17 08:48:15 2021