

Instrument :
FID_C
ClientSampleId :
RO-21MSD

rteres

Area Percent Report

Manual Integrations
APPROVED

Sohil
6/18/2020 3:05:41 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC061720AL\
Data File : FC047898.D
Signal(s) : FID1A.CH
Acq On : 17 Jun 2020 19:06
Sample : L3024-01MSD
Misc :
ALS Vial : 10 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 060920.M
Title : GC Extractables

Signal : FID1A.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.541	3.502	3.639	BB	271196	2378226	35.24%	1.714%
2	4.602	4.564	4.638	BV	316740	2813304	41.68%	2.027%
3	4.657	4.638	4.766	VB	319408	3067531	45.45%	2.210%
4	6.200	6.166	6.359	BB	253467	3182146	47.15%	2.293%
5	6.601	6.556	6.689	BB	326968	3140146	46.52%	2.263%
6	7.246	7.216	7.401	BB	278692	3368515	49.91%	2.427%
7	7.845	7.801	7.986	BB	446431	4985011	73.86%	3.592%
8	8.346	8.306	8.356	BV	10439	107800	1.60%	0.078%
9	8.379	8.356	8.444	VV	343378	3463215	51.31%	2.495%
10	8.464	8.444	8.496	VV	14811	191227	2.83%	0.138%
11	8.519	8.496	8.667	VB	306468	3607527	53.45%	2.599%
12	8.721	8.684	8.785	BV	255528	3256470	48.25%	2.346%
13	8.810	8.785	8.954	VB	367330	4003603	59.32%	2.885%
14	9.592	9.552	9.732	BV	293565	3668402	54.35%	2.643%
15	9.964	9.919	10.044	BB	357945	3660241	54.23%	2.637%
16	10.989	10.939	11.045	BV	322138	3901395	57.80%	2.811%
17	11.067	11.045	11.266	VB	268559	3912163	57.96%	2.819%
18	11.395	11.346	11.462	BB	347037	3815876	56.53%	2.750%
19	11.728	11.681	11.787	BV	433617	4543415	67.31%	3.274%
20	12.314	12.276	12.371	BB	6574	93319	1.38%	0.067%
21	12.695	12.644	12.766	BB	338571	3811910	56.48%	2.747%
22	12.803	12.776	12.937	BB	308917	3939422	58.37%	2.839%
23	13.101	13.072	13.120	BV	289420	3431686	50.84%	2.473%
24	13.140	13.120	13.259	VB	345502	4111388	60.91%	2.962%
25	13.301	13.267	13.351	BB	324369	3662150	54.26%	2.639%
26	13.884	13.804	13.922	BV	324198	3665439	54.31%	2.641%
27	14.382	14.352	14.424	BV	5993	94161	1.40%	0.068%
28	14.978	14.927	15.000	BV	565537	6749593	100.00%	4.863%
29	15.019	15.000	15.139	VB	252870	3725331	55.19%	2.684%
30	15.395	15.337	15.474	BV	9453	281821	4.18%	0.203%
31	15.994	15.957	16.044	BB	272558	3370962	49.94%	2.429%
32	16.539	16.504	16.553	BV	295774	3378310	50.05%	2.434%
33	16.567	16.553	16.681	VV	234466	3648824	54.06%	2.629%
34	16.875	16.827	16.899	BV	9071	105561	1.56%	0.076%
35	16.932	16.899	17.036	PV	360236	6355592	94.16%	4.580%
36	17.820	17.742	17.861	BB	252431	3205122	47.49%	2.309%

rteres									
37	18.235	18.036	18.274	BV	8819	238888	3.54%	0.172%	
38	18.305	18.274	18.314	PV	233923	2649366	39.25%	1.909%	
39	18.326	18.314	18.444	VB	231739	3954900	58.59%	2.850%	
40	18.560	18.516	18.612	BV	207261	3187469	47.22%	2.297%	
41	18.645	18.612	18.706	VB	231865	3239538	48.00%	2.334%	
42	19.044	19.004	19.109	BB	6131	163113	2.42%	0.118%	
43	19.424	19.382	19.491	BB	204888	2941031	43.57%	2.119%	
44	20.160	19.922	20.216	BB	196371	2620395	38.82%	1.888%	
45	20.909	20.842	20.984	BB	147901	2535184	37.56%	1.827%	
46	21.849	21.717	21.941	BB	110603	2554639	37.85%	1.841%	
Sum of corrected areas:					138781327				

Instrument :
FID_C
ClientSampleId :
RO-21MSD

Manual Integrations
APPROVED

Sohil
6/18/2020 3:05:41 PM

Alaphatic EPH 060920.M Thu Jun 18 08:03:00 2020