

Instrument :
FID_C
ClientSampleId :
TP-3MS

rteres

Area Percent Report

Manual Integrations
APPROVED

Sohil
6/22/2020 10:02:12 AM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC061820AL\
Data File : FC047930.D
Signal(s) : FID1A.CH
Acq On : 19 Jun 2020 00:12
Sample : L3034-08MS
Misc :
ALS Vial : 19 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 060920.M
Title : GC Extractables

Signal : FID1A.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.537	3.497	3.637	BB	294305	2631019	37.84%	1.812%
2	4.600	4.562	4.635	BV	360569	3195125	45.95%	2.201%
3	4.655	4.635	4.764	VB	352902	3414538	49.10%	2.352%
4	6.197	6.157	6.362	BB	287310	3640294	52.35%	2.508%
5	6.599	6.554	6.689	BB	367332	3588217	51.60%	2.472%
6	7.244	7.147	7.384	BB	304360	3716271	53.44%	2.560%
7	7.843	7.806	8.004	BB	433528	4882026	70.21%	3.363%
8	8.377	8.314	8.446	BV	383913	3753211	53.97%	2.585%
9	8.516	8.493	8.666	VB	331634	3874112	55.71%	2.669%
10	8.719	8.686	8.784	BV	246104	3135085	45.09%	2.160%
11	8.808	8.784	8.941	VB	373935	4259992	61.26%	2.934%
12	9.589	9.549	9.741	BB	289603	3846713	55.32%	2.650%
13	9.962	9.912	10.041	BB	351791	3809710	54.79%	2.624%
14	10.989	10.936	11.044	BV	315293	3897908	56.06%	2.685%
15	11.065	11.044	11.256	VB	275033	4023788	57.87%	2.772%
16	11.393	11.349	11.456	BB	359277	4007071	57.63%	2.760%
17	11.726	11.679	11.811	BB	468696	4889293	70.31%	3.368%
18	12.691	12.657	12.732	BB	346560	3940275	56.66%	2.714%
19	12.801	12.774	12.952	BB	291573	3862436	55.55%	2.661%
20	13.100	13.052	13.118	BV	297480	3298755	47.44%	2.272%
21	13.138	13.118	13.266	VB	320715	4175679	60.05%	2.876%
22	13.299	13.266	13.357	BB	333696	3872368	55.69%	2.667%
23	13.881	13.827	13.922	BV	330851	3829048	55.06%	2.638%
24	14.976	14.937	14.998	BV	583041	6953689	100.00%	4.790%
25	15.016	14.998	15.181	VB	234152	3885690	55.88%	2.677%
26	15.388	15.349	15.471	BV	7398	248835	3.58%	0.171%
27	15.991	15.904	16.037	BB	279773	3578568	51.46%	2.465%
28	16.537	16.489	16.551	BV	299221	3321006	47.76%	2.288%
29	16.567	16.551	16.724	VB	243394	3941602	56.68%	2.715%
30	16.933	16.857	17.039	BV	386030	6569035	94.47%	4.525%
31	17.817	17.742	17.877	BB	270714	3420700	49.19%	2.356%
32	18.235	18.077	18.272	BV	5169	150085	2.16%	0.103%
33	18.306	18.272	18.313	PV	236378	2670392	38.40%	1.839%
34	18.325	18.313	18.484	VB	233112	4336868	62.37%	2.987%
35	18.557	18.504	18.611	BV	208567	3230306	46.45%	2.225%
36	18.642	18.611	18.699	VB	256481	3488499	50.17%	2.403%

					rt	Area	%Area	%Area
37	19.420	19.224	19.454	PV	227811	3161973	45.47%	2.178%
38	20.156	20.093	20.198	VV	194955	2895586	41.64%	1.995%
39	20.311	20.198	20.361	PV	3164	111230	1.60%	0.077%
40	20.905	20.858	21.004	VB	170817	2885213	41.49%	1.987%
41	21.841	21.719	21.947	BB	116643	2779996	39.98%	1.915%
					Sum of corrected areas:		145172207	

Instrument :
FID_C
ClientSampleId :
TP-3MS

Manual Integrations
APPROVED

Sohil
6/22/2020 10:02:12 AM

Alaphatic EPH 060920.M Fri Jun 19 10:39:30 2020