

Instrument :
FID_C
ClientSampleId :
SH-1MS

rteres

Area Percent Report

Manual Integrations
APPROVED

Ankita
6/24/2021 12:59:45 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC062321AL\
Data File : FC054403.D
Signal(s) : FID1A.CH
Acq On : 24 Jun 2021 00:03
Sample : M2815-01MS
Misc :
ALS Vial : 17 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 061021.M
Title : GC Extractables

Signal : FID1A.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.152	3.085	3.255	BB	481629	4003375	64.22%	1.968%
2	4.209	4.095	4.226	BV	536325	4641294	74.45%	2.281%
3	4.244	4.226	4.335	VB	568955	5002519	80.24%	2.459%
4	5.775	5.711	5.918	BB	577698	5620286	90.15%	2.763%
5	6.217	6.145	6.308	BB	545941	5251517	84.24%	2.581%
6	6.829	6.788	6.948	BV	558500	5571061	89.36%	2.739%
7	7.441	7.371	7.571	BB	616941	6106614	97.95%	3.002%
8	8.008	7.961	8.050	BBA	532802	5510585	88.39%	2.709%
9	8.104	8.051	8.255	BB	574591	5931863	95.15%	2.916%
10	8.303	8.261	8.371	BV	367456	3977931	63.81%	1.955%
11	8.400	8.371	8.528	VB	615806	6234228	100.00%	3.065%
12	9.181	9.088	9.308	BV	564532	5940033	95.28%	2.920%
13	9.602	9.511	9.681	BB	503631	5586706	89.61%	2.746%
14	10.579	10.451	10.624	BV	520208	5696741	91.38%	2.800%
15	10.655	10.624	10.733	VV	522880	5669721	90.95%	2.787%
16	11.040	11.003	11.135	PB	499208	5683827	91.17%	2.794%
17	11.344	11.161	11.401	BV	478946	5149855	82.61%	2.531%
18	12.346	12.298	12.367	VV	463317	5383937	86.36%	2.647%
19	12.393	12.367	12.505	VB	501413	5787601	92.84%	2.845%
20	12.690	12.648	12.729	BV	511096	5835977	93.61%	2.869%
21	12.785	12.729	12.845	VB	347413	4147606	66.53%	2.039%
22	12.955	12.911	13.035	BB	440825	5300669	85.03%	2.606%
23	13.540	13.495	13.641	BB	425138	5209437	83.56%	2.561%
24	13.966	13.901	14.065	BB	7745	158584	2.54%	0.078%
25	14.569	14.505	14.589	BV	422967	5447705	87.38%	2.678%
26	14.639	14.630	14.670	M	395794	4271456	68.52%	2.100%
27	15.023	14.965	15.105	BB	9603	195065	3.13%	0.096%
28	15.661	15.620	15.690	M	370930	4928179	79.05%	2.423%
29	16.129	16.068	16.145	PV	404141	5778963	92.70%	2.841%
30	16.161	16.145	16.238	VV	465783	5534553	88.78%	2.721%
31	16.448	16.311	16.470	BV	9311	111675	1.79%	0.055%

	Area	Height	Area%	Height%	Area	Height	Area%	Height%
32	16.510	16.470	16.571	VV	445870	5615111	90.07%	2.760%
33	16.608	16.571	16.701	VB	391727	5048082	80.97%	2.48%
34	17.496	17.408	17.538	VV	356713	4921480	78.94%	2.41%
35	17.794	17.538	17.835	PV	2543	74865	1.20%	0.03%
36	17.887	17.835	17.904	VV	365565	5329572	85.49%	2.62%
37	17.921	17.904	17.998	VV	383654	5225678	83.82%	2.569%
38	18.143	18.088	18.211	BB	411928	5382677	86.34%	2.646%
39	18.326	18.248	18.368	BV	357269	4868771	78.10%	2.393%
40	19.111	19.055	19.143	M	333493	4672008	74.94%	2.297%
41	19.849	19.781	19.911	BV	300637	4408762	70.72%	2.167%
42	20.554	20.508	20.587	M	263254	4091822	65.63%	2.011%
43	21.381	21.302	21.427	M	189371	4125007	66.17%	2.028%
Sum of corrected areas:					203433397			

Instrument :
FID_C
ClientSampleId :
SH-1MS

Manual Integrations
APPROVED

Ankita
6/24/2021 12:59:45 PM

Alaphatic EPH 061021.M Thu Jun 24 11:22:40 2021