

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC070721AL\
 Data File : FC054572.D
 Signal(s) : FID1A.CH
 Acq On : 07 Jul 2021 23:23
 Operator : DD\AJ
 Sample : M2938-02
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Jul 08 02:42:02 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 062521.M
 Quant Title : GC Extractables
 QLast Update : Sat Jun 26 02:10:35 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.333	4455352	31.471 ug/ml
Spiked Amount 50.000		Recovery =	62.94%
12) S 1-chlorooctadecane (S...	12.776	3639579	32.649 ug/ml
Spiked Amount 50.000		Recovery =	65.30%
Target Compounds			
3) T A~Naphthalene (C11.7)	5.837f	200350	1.524 ug/ml
10) T n-Eicosane (C20)	12.383f	385289	2.961 ug/ml
18) T n-Dotriacontane (C32)	18.331	421961	3.084 ug/ml
19) T n-Tetratriacontane (C34)	19.108	482185	3.569 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC070721AL\
Data File : FC054572.D
Signal(s) : FID1A.CH
Acq On : 07 Jul 2021 23:23
Operator : DD\AJ
Sample : M2938-02
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :

Integration File: autoint1.e
Quant Time: Jul 08 02:42:02 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 062521.M
Quant Title : GC Extractables
QLast Update : Sat Jun 26 02:10:35 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#3 A~Naphthalene (C11.7)


R.T.: 5.837 min
Delta R.T.: 0.069 min
Response: 200350
Conc: 1.52 ug/ml

Instrument :
FID_C
ClientSampleId :




#9 ortho-Terphenyl (SURR)

R.T.: 11.333 min
Delta R.T.: 0.004 min
Response: 4455352
Conc: 31.47 ug/ml




#10 n-Eicosane (C20)

R.T.: 12.383 min
Delta R.T.: 0.051 min
Response: 385289
Conc: 2.96 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 12.776 min
Delta R.T.: 0.004 min
Response: 3639579
Conc: 32.65 ug/ml



#18 n-Dotriacontane (C32)

R.T.: 18.331 min
Delta R.T.: 0.020 min
Response: 421961
Conc: 3.08 ug/ml

Instrument :
FID_C
ClientSampleId :



#19 n-Tetratriacontane (C34)

R.T.: 19.108 min
Delta R.T.: 0.015 min
Response: 482185
Conc: 3.57 ug/ml