

rteres

Instrument :

FID_C

ClientSampleId :

PB168723BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/08/2025

Supervised By :mohammad ahmed 07/08/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC07072
Data File : FC069378.D
Signal(s) : FID1A.ch
Acq On : 07 Jul 2025 12:57
Sample : PB168723BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 061825.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.415	3.355	3.460	BB	712670	5966105	51.64%	2.548%
2	4.485	4.427	4.506	BV	740933	6515749	56.40%	2.783%
3	4.529	4.506	4.571	VV	827342	7374730	63.83%	3.149%
4	6.077	6.012	6.137	BB	846143	7954497	68.85%	3.397%
5	6.506	6.444	6.564	BB	708905	6820644	59.04%	2.913%
6	7.137	7.085	7.217	BB	762884	7406841	64.11%	3.163%
7	8.307	8.242	8.339	BB	630766	6846993	59.27%	2.924%
8	8.423	8.357	8.475	BB	763931	7736115	66.96%	3.304%
9	8.722	8.682	8.762	BB	763057	7705658	66.70%	3.291%
10	9.507	9.437	9.570	BB	699092	7602809	65.81%	3.247%
11	9.910	9.847	9.974	BB	623633	6821172	59.04%	2.913%
12	10.913	10.822	10.952	BV	647700	7024564	60.80%	3.000%
13	10.990	10.952	11.045	VV	650860	6968370	60.32%	2.976%
14	11.356	11.310	11.400	BB	597153	6582122	56.97%	2.811%
15	11.679	11.610	11.725	BB	610951	6637123	57.45%	2.834%
16	12.667	12.607	12.698	BV	542354	6498919	56.25%	2.775%
17	12.737	12.698	12.785	VB	556327	6433728	55.69%	2.748%
18	13.038	12.962	13.065	BV	543674	6362620	55.07%	2.717%
19	13.113	13.065	13.169	VB	440149	5211904	45.11%	2.226%
20	13.280	13.212	13.339	BB	486742	6117173	52.95%	2.612%
21	13.867	13.800	13.927	BB	477044	5947825	51.48%	2.540%
22	14.919	14.769	14.938	BV	450648	5913260	51.18%	2.525%
23	14.967	14.938	15.030	VB	861832	11552985	100.00%	4.934%
24	15.996	15.920	16.040	BB	417908	5371235	46.49%	2.294%
25	16.481	16.407	16.496	BV	392244	5789069	50.11%	2.472%
26	16.516	16.496	16.565	VB	492032	5686290	49.22%	2.428%
27	16.864	16.789	16.904	BV	415486	5614393	48.60%	2.398%
28	16.944	16.904	17.002	VB	385366	5131923	44.42%	2.192%
29	17.836	17.780	17.892	BB	359954	5026959	43.51%	2.147%
30	18.239	18.162	18.254	BV	390678	6031761	52.21%	2.576%
31	18.277	18.254	18.352	VB	418105	5569583	48.21%	2.378%
32	18.498	18.419	18.542	BB	378246	5440952	47.10%	2.324%
33	18.668	18.592	18.717	BB	355722	4920960	42.59%	2.101%
34	19.454	19.400	19.515	BB	361071	5121378	44.33%	2.187%
35	20.195	20.140	20.232	BB	334359	4910044	42.50%	2.097%
36	20.962	20.875	21.012	BB	262360	4946283	42.81%	2.112%

37 21.929 21.880 22.002 BB 188409 4601750 39.83% 1.965%
Sum of corrected areas: 2345

Aliphatic EPH 061825.M Tue Jul 08 01:54:37 2025

Instrument :

FID_C

ClientSampleId :

PB168723BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/08/2025

Supervised By :mohammad ahmed 07/08/2025