

Data Path : Z:\bestpcbsrv\HPCHEM1\FID D\Data\FD071218AR\
 Data File : FD024983.D
 Signal(s) : FID2B.CH
 Acq On : 12 Jul 2018 18:27
 Operator : AJ\SJ
 Sample : J3924-02
 Misc :
 ALS Vial : 57 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Jul 13 01:44:47 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062118.M
 Quant Title : GC Extractables
 QLast Update : Fri Jun 22 09:02:19 2018
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.477	4723930	51.640 ug/ml
Spiked Amount 50.000		Recovery =	103.28%
6) S 2-Fluorobiphenyl (SURR)	8.333	3171598	50.007 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	100.01%
11) S ortho-Terphenyl (SURR)	11.383	4705057	46.884 ug/ml
Spiked Amount 50.000		Recovery =	93.77%
Target Compounds			
9) T Phenanthrene (C19.36)	10.602	167298	1.627 ug/ml
12) T Fluoranthene (C21.85)	12.413	514754	5.162 ug/ml
13) T Pyrene (C20.8)	12.708	422955	4.253 ug/ml
14) T Benzo[a]anthracene (C...	14.580	285568	3.042 ug/ml
15) T Chrysene (C27.41)	14.620	299587	3.167 ug/ml
16) T benzo[b]fluoranthene ...	16.129	189848	1.836 ug/ml
17) T Bnezo[k]fluoranthene ...	16.129	189848	1.799 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.504	289457	2.785 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.866	195573	1.835 ug/ml
20) T Dibenz[a,h]anthracene...	17.866f	195573	1.870 ug/ml
21) T Benzo[a,h,i]pervlene ...	18.118	204983	1.930 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID D\Data\FD071218AR\
Data File : FD024983.D
Signal(s) : FID2B.CH
Acq On : 12 Jul 2018 18:27
Operator : AJ\SJ
Sample : J3924-02
Misc :
ALS Vial : 57 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Jul 13 01:44:47 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 062118.M
Quant Title : GC Extractables
QLast Update : Fri Jun 22 09:02:19 2018
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped


Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 7.477 min
Delta R.T.: -0.003 min
Response: 4723930
Conc: 51.64 ug/ml




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.333 min
Delta R.T.: 0.000 min
Response: 3171598
Conc: 50.01 ug/ml




#9 Phenanthrene (C19.36)

R.T.: 10.602 min
Delta R.T.: -0.003 min
Response: 167298
Conc: 1.63 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.383 min
Delta R.T.: 0.001 min
Response: 4705057
Conc: 46.88 ug/ml




#12 Fluoranthene (C21.85)

R.T.: 12.413 min
Delta R.T.: -0.002 min
Response: 514754
Conc: 5.16 ug/ml




#13 Pyrene (C20.8)

R.T.: 12.708 min
Delta R.T.: -0.001 min
Response: 422955
Conc: 4.25 ug/ml




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.580 min
Delta R.T.: -0.001 min
Response: 285568
Conc: 3.04 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.620 min
Delta R.T.: -0.002 min
Response: 299587
Conc: 3.17 ug/ml




#16 benzo[b]fluoranthene (C30.41)

R.T.: 16.129 min
Delta R.T.: 0.000 min
Response: 189848
Conc: 1.84 ug/ml




#17 Bnezo[k]fluoranthene (C30.14)

R.T.: 16.129 min
Delta R.T.: -0.032 min
Response: 189848
Conc: 1.80 ug/ml




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.504 min
Delta R.T.: 0.000 min
Response: 289457
Conc: 2.79 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.866 min
Delta R.T.: 0.000 min
Response: 195573
Conc: 1.83 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.866 min
Delta R.T.: -0.046 min
Response: 195573
Conc: 1.87 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.118 min
Delta R.T.: -0.001 min
Response: 204983
Conc: 1.93 ug/ml