

Instrument :
FID_C
ClientSampleId :
COLL-HOLE-BMS

rteres

Area Percent Report

Manual Integrations
APPROVED

mohammad
7/26/2021 11:56:13 AM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC072321AL\
Data File : FC054841.D
Signal(s) : FID1A.CH
Acq On : 24 Jul 2021 7:00
Sample : M3152-12MS
Misc :
ALS Vial : 23 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 072121.M
Title : GC Extractables

Signal : FID1A.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.135	3.065	3.208	BB	499346	4253746	32.52%	1.777%
2	4.187	4.155	4.204	BV	561046	4833931	36.96%	2.019%
3	4.221	4.204	4.308	VB	552933	5035180	38.49%	2.103%
4	5.748	5.705	5.814	BV	521211	5247553	40.12%	2.192%
5	6.190	6.155	6.278	BB	558401	5515059	42.16%	2.304%
6	6.801	6.695	6.928	BB	523283	5622244	42.98%	2.349%
7	7.412	7.385	7.518	BB	528121	5499261	42.04%	2.297%
8	7.979	7.918	8.045	BV	593785	6134260	46.90%	2.563%
9	8.073	8.045	8.185	PB	594462	6425223	49.12%	2.684%
10	8.274	8.248	8.340	BV	319570	3736932	28.57%	1.561%
11	8.369	8.340	8.468	VB	641557	6800841	51.99%	2.841%
12	9.151	9.118	9.275	BB	611373	6720197	51.38%	2.807%
13	9.572	9.535	9.645	BB	612679	6749206	51.60%	2.819%
14	10.549	10.505	10.601	BV	611154	6950800	53.14%	2.904%
15	10.626	10.601	10.738	VB	583760	6909450	52.82%	2.886%
16	11.010	10.968	11.075	BB	640128	7307343	55.86%	3.053%
17	11.313	11.261	11.385	BB	631828	7020899	53.67%	2.933%
18	12.315	12.275	12.338	BV	589437	7164189	54.77%	2.993%
19	12.364	12.338	12.478	VB	596165	6990877	53.44%	2.920%
20	12.659	12.611	12.718	BV	602906	6953838	53.16%	2.905%
21	12.754	12.718	12.841	VB	466746	5729240	43.80%	2.393%
22	12.925	12.881	13.008	BB	607726	7150647	54.67%	2.987%
23	13.509	13.465	13.585	BB	567258	7042781	53.84%	2.942%
24	14.540	14.491	14.561	BV	518475	6175012	47.21%	2.580%
25	14.608	14.561	14.701	VB	568306	13080555	100.00%	5.464%
26	15.629	15.565	15.711	BB	523445	6618994	50.60%	2.765%
27	16.099	16.058	16.116	BV	436509	5832411	44.59%	2.436%
28	16.132	16.116	16.248	VB	449309	5886353	45.00%	2.459%
29	16.481	16.418	16.541	BV	425522	5640055	43.12%	2.356%
30	16.575	16.541	16.658	VB	495668	6408590	48.99%	2.677%
31	17.463	17.421	17.510	BBA	445864	5903804	45.13%	2.466%
32	17.892	17.798	18.015	BB	407741	11070039	84.63%	4.624%
33	18.115	18.068	18.228	BB	378109	5545609	42.40%	2.317%
34	18.293	18.238	18.348	BB	408042	5598057	42.80%	2.339%
35	19.075	19.031	19.141	BB	369279	5302360	40.54%	2.215%
36	19.814	19.771	19.860	BBA	335787	5001423	38.24%	2.089%

					rters				
37	20.518	20.411	20.588	BB	307517	4730093	36.16%	1.976%	
38	21.330	21.231	21.381	BB	228331	4793516	36.65%	2.002%	
					Sum of corrected areas:		239380568		

Alaphatic EPH 072121.M Mon Jul 26 10:37:45 2021

Instrument :
FID_C
ClientSampleId :
COLL-HOLE-BMS

Manual Integrations
APPROVED

mohammad
7/26/2021 11:56:13 AM