

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC072420AL\
 Data File : FC048660.D
 Signal(s) : FID1A.CH
 Acq On : 24 Jul 2020 17:12
 Operator : DD\AJ
 Sample : L3382-02
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Jul 25 02:09:25 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 070820.M
 Quant Title : GC Extractables
 QLast Update : Wed Jul 08 03:03:00 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.681	5610001	40.875 ug/ml
Spiked Amount 50.000		Recovery =	81.75%
12) S 1-chlorooctadecane (S...	13.113	4486066	39.810 ug/ml
Spiked Amount 50.000		Recovery =	79.62%
Target Compounds			
6) T n-Tetradecane (C14)	8.372f	185777	1.508 ug/ml
10) T n-Eicosane (C20)	12.615f	74315	0.575 ug/ml
14) T n-Tetracosane (C24)	14.947	250358	1.910 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC072420AL\
Data File : FC048660.D
Signal(s) : FID1A.CH
Acq On : 24 Jul 2020 17:12
Operator : DD\AJ
Sample : L3382-02
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :

Integration File: autoint1.e
Quant Time: Jul 25 02:09:25 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 070820.M
Quant Title : GC Extractables
QLast Update : Wed Jul 08 03:03:00 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#6 n-Tetradecane (C14)


R.T.: 8.372 min
Delta R.T.: 0.060 min
Response: 185777
Conc: 1.51 ug/ml

Instrument :
FID_C
ClientSampleId :




#9 ortho-Terphenyl (SURR)

R.T.: 11.681 min
Delta R.T.: 0.002 min
Response: 5610001
Conc: 40.87 ug/ml




#10 n-Eicosane (C20)

R.T.: 12.615 min
Delta R.T.: -0.055 min
Response: 74315
Conc: 0.57 ug/ml



#12 1-chlorooctadecane (SURR)

R.T.: 13.113 min
Delta R.T.: -0.003 min
Response: 4486066
Conc: 39.81 ug/ml



#14 n-Tetracosane (C24)

R.T.: 14.947 min
Delta R.T.: -0.025 min
Response: 250358
Conc: 1.91 ug/ml

Instrument :
FID_C
ClientSampleId :